

CROSS REFERENCE GUIDE



VABO NV/SA
IND ZONE ZOLDER – LUMMEN 2109

BOTERBOSSTRAAT 20
B- 3550 HEUSDEN-ZOLDER

TEL +32 (0) 13 350 550
FAX +32 (0) 13 350 559

info@vabo.be www.vabo.com

Cat Vabo Dos12964 10 2012

ENERGIZER GP PHILIPS MAXELL																									
		DIM. MM	VOLT	CODE	IEC -SW	IEC – SR	JIS	AWI	VARTA	DURACELL	BULOVA	CITIZEN	RENATA	SANYO	PANASONIC	RAYOVAC	SEIKO	SEIKO	TOSHIBA	RENATA	TIMEX	NewTEC(-W) Vinnic (-E)	UNIVER-CEL	ANSI/NEDA	
Silver Oxide	Low Drain	11.6 x 4.2	1,55	301	SR1142SW	SR43	GS12	S04 / M10	V301 / V354	D301/386	226 / 120TC	280-01	301	SR43SW	SP301/WS-11	301/RW34	SR43SW	SB-A8 / SB-D8	SR43SW	1	D	SR1142SW	-	1132SO	
Silver Oxide	Low Drain	11.6 x 5.4	1,55	303	SR1154SW	SR44	GS13	S06	V303	D303/357	228	280-08	303	SR44SW	SP303/WS-14	303/RW32	SR44SW	SB-A9	SR44SW	9	A	SR1154SW	-	1131SO	
Silver Oxide	Low Drain	7.9 x 5.4	1,55	309	SR754SW	SR48	GS5	S08 / M04	V309 / V323	D309/393	70T	-	309	SR754SW	SP309/WS-6	309/RW38	SR754SW	-	SR754SW	16	-	-	-	1136SO	
Mercury		11.5 x 5.4	1,35	313	MR1154	MR44	-	M02	V313	D313	-	280-06	313	-	NP313	313	-	-	-	-	-	-	-	-	
Silver Oxide	High Drain	7.9 x 1.65	1,55	314	SR716W	-	-	S37	-	-	-	-	314	SR716W	SP314	314	SR/TR716W	-	SR716W	-	-	SR716PW	-	-	
Silver Oxide	Low Drain	7.9 x 1.68	1,55	315	SR716SW	SR67	-	S38	V315	D315	614	280-56	315	SR716SW	SP315	315/RW316	SR716SW	SB-AT	SR716SW	40	HA	SR716SW	-	1187SO	
Silver Oxide	Low Drain	5.8 x 1.65	1,55	317	SR516SW	SR62	-	S52	V317	D317	616	280-58	317	SR516SW	SP317	317/RW326	SR516SW	SB-AR	SR516SW	53	CA	SR516SW	-	1185SO	
Silver Oxide	Low Drain	5.8 x 2.7	1,55	319	SR527SW	SR64	-	S54	V319	D319	615	280-60	319	SR527SW	SP319	319/RW328	SR/TR527SW	SB-AE / SB-DE	SR527SW	-	-	SR527SW	-	1186SO	
Silver Oxide	Low Drain	6.8 x 1.65	1,55	321	SR616SW	SR65	-	S34	V321	D321	611	280-73	321	SR616SW	SP321	321/RW321	SR/TR616SW	SB-AF / SB-DF	SR616SW	38	DA	SR616SW	24 / 236	1174SO	
Mercury		7.9 x 5.33	1,35	323	MR754	MR48	-	M04	V323	D323	-	-	323	-	WH-6	323	-	SB-C3	-	-	C	-	-	1156M	
Mercury		7.9 x 3.6	1,35	325	MR736	MR41	-	M06	V325	D325	6UDC	280-02	325	-	WH-1	325	-	SB-C1	-	-	-	-	-	1155M	
Silver Oxide	Low Drain	7.9 x 3.1	1,55	329	SR731SW	-	-	S42	V329	D329	-	-	329	SR731SW	SP329	329/RW300	SR731SW	-	SR731SW	24	-	SR731SW	23 / 235	-	
Silver Oxide		6.8 x 1.1	1,55	333	SR610SW	-	-	S44	-	-	-	-	333	SR610SW	SP333	-	SR610SW	-	SR610SW	32 / 42	-	-	-	-	
Silver Oxide	Low Drain	5.8 x 1.25	1,55	335	SR512SW	-	-	S60	V335	D335	622	280-68	335	SR512SW	SP335	335	SR512SW	SB-AB	SR512SW	-	-	SR512SW	-	1193SO	
Silver Oxide	Low Drain	4.8 x 1.65	1,55	337	SR416SW	-	-	S70	V337	D337	623	280-75	337	SR416SW	SP337	337/RW37	SR416SW	SB-A5	SR416SW	-	-	SR416SW	-	-	
Silver Oxide	Low Drain	6.8 x 1.4	1,55	339	SR614SW	-	-	S58	V339	D339	339	-	339	SR614SW	SP339	-	SR614SW	-	SR614SW	52	-	-	-	-	
Silver Oxide	Low Drain	7.9 x 1.4	1,55	341	SR714SW	-	-	S36	V341	D341	627	-	341	SR714SW	SP341	341/RW322	SR714SW	-	SR714SW	39 / 33	-	-	-	1192SO	
Mercury	out of program		1,35	343	MR1136	MR42	-	M08	V343 / V344	-	218	280-05	343	-	NP343	343	-	-	-	-	B	-	-	-	
Silver Oxide	Low Drain	11.6 x 3.6	1,55	344	SR1136SW	SR42	-	S10 / M08	V344 / V343	D344	218/242/604	-	344	SR1136SW	SP344/WS12	344/RW36	-	-	SR1136SW	12	-	SR1136SW	-	1139SO	
Silver Oxide	Low Drain	7.9 x 1.29	1,55	346	SR712SW	-	-	S64	V346	D346	628	280-66	346	SR712SW	SP346	346	SR/TR712SW	SB-DH / SB-AH	SR712SW	-	-	SR712SW	-	1194SO	
Silver Oxide	Low Drain	4.8 x 2.15	1,55	348	SR421SW	-	-	S72	-	-	-	280-77	348	SR421SW	SP348	-	SR421SW	SB-A6	SR421SW	-	-	-	-	-	
Silver Oxide	High Drain	11,6 x 3.6	1,55	350	SR1136W	SR42	-	S01	V350	D350	604	-	350	-	SP350	-	-	-	-	14	-	-	-	-	
Mercury		11,5 x 4.2	1,35	354	MR1142	MR43	-	M10	V354	D354	-	-	354	-	-	354	-	SB-C8	-	-	-	-	-	-	
Silver Oxide	High Drain	11.6 x 5.4	1,55	357	SR1154W	SR44	GS13	S05 / M02	V357 / V313	D357 / 303	228	280-62	357	SR44W	NP313/SP357/ WL-14	357/RW42	SR44W	SB-B9	MR44 SR44W	7	J	SR1154PW	22 / 234	1131SO	
Silver Oxide	High Drain	7.9 x 2.1	1,55	361	SR721W	SR58	G11	S23	V361	D361/362	-	280-53	361	SR721W	SP361	361/RW410	SR/TR721W	SB-BK /SB-EK	SR721W	46	X	SR721PW	13 / 225	1173SO	
Silver Oxide	Low Drain	7.9 x 2.1	1,55	362	SR721SW	SR58	GS11	S12	V362	D362/361	601	280-29	362	SR721SW	SP362	362/RW310	SR/TR721SW	SB-AK / SB-DK	SR721SW	19	S	SR721SW	-	1158SO	
Silver Oxide	High Drain	6.8 x 2.15	1,55	364	SR621SW	SR60	GS1	S14	V364	D364	602	280-34	364	SR621SW	SP364	364/RW320	SR/TR621SW	SB-AG / SB-DG	SR621SW	31 / 51	T	SR621SW	30/11/24	1175SO	
Silver Oxide	High Drain	11.6 x 1.65	1,55	365	SR1116W	-	-	S35	V365	D365	-	-	365	SR1116W	SP365	-	SR/TR1116W	-	SR1116W	-	ZA	SR1116PW	-	1195SO	
Silver Oxide	Low Drain	11.6 x 1.65	1,55	366	SR1116SW	-	-	S16	V366	D366	608	280-46	366	SR1116SW	SP366	366/RW318	SR1116SW	-	SR1116SW	-	-	SR1116SW	-	1177SO	
Silver Oxide	High Drain	9.5 x 2.05	1,55	370	SR920W	SR69	G6	S21	V370	D370/371	620	280-51	370	SR920W	SP370	370/RW415	SR920W	SB-BN	SR920W	36	Z	SR920PW	17 / 229	1188SO	
Silver Oxide	High Drain	9.5 x 2.05	1,55	371	SR920SW	SR69	GS6	S18	V371	D371/370	605	280-31	371	SR920SW	SP371	371/RW315	SR/TR920SW	SB-AN	SR920SW	30	-	SR920SW	-	1171SO	
Silver Oxide	High Drain	9.5 x 1.65	1,55	372	SR916W	SR68	-	S31	-	D372	617	280-61	372	SR916W	SP372	-	SR/TR916W	-	SR916W	-	-	SR916PW	-	-	
Silver Oxide	Low Drain	9.5 x 1.65	1,55	373	SR916SW	SR68	-	S40	V373	D373	617	280-45	373	SR916SW	SP373	373/RW317	SR/TR916SW	SB-AJ / SB-DJ	SR916SW	41	WA	SR916SW	-	1172SO	
Silver Oxide	High Drain	6.8 x 2.6	1,55	376	SR626W	SR66	G4	S27	V76PX / V376	MS76	619	280-72	376	SR626W	SP376	376	SR/TR626W	SB-BW	SR626W	43	MA	SR626PW	-	-	
Silver Oxide	Low Drain	6.8 x 2.6	1,55	377	SR626SW	SR66	GS4	S32	V377	D377	606	280-39	377	SR626SW	SP377	377/RW329	SR626SW	SB-AW	SR626SW	37	BA	SR626SW	116 / 228	1176SO	
Silver Oxide	Low Drain	5.8 x 2.15	1,55	379	SR521SW	SR63	GS0	S56	V379	D379	618	280-59	379	SR521SW	SP379	379/RW327	SR/TR521SW	SB-AC / SB-DC	SR521SW	50	JA	SR521SW	111 / 223	1191SO	
Silver Oxide	High Drain	9.5 x 3.6	1,55	380	SR936W	-	GS9	S33	-	D380	-	-	380	SR936W	-	-	-	-	SR936W	-	-	-	-	-	
Silver Oxide	Low Drain	11.6 x 2.05	1,55	381	SR1120SW	SR55	GS58	S20	V381	D381/391	317	280-27	381	SR1120SW	SP381	381/RW30	SR/TR1120SW	SB-AS / SB-DS	SR1120SW	34	L	SR1120SW	-	1170SO	
Silver Oxide	Low Drain	7.9 x 3.6	1,55	384	SR736SW	SR41	GS3	S22 / M06	V384	D384/392	247 / 6UDC	280-18	384	SR41SW	SP384 / WS-1	384/RW37	SR/TR41SW	SB-A1 / SB-D1	SR41SW	10	-	SR736SW	-	1134SO	
Silver Oxide	High Drain	11.6 x 4.2	1,55	386	SR1142W	SR43	GS12	S07	V386	D386/301	260 / 226	280-41	386	SR43W	SP386/WL-11	386/RW44	SR43W	SB-B8	SR43W	6	H	SR1142PW	21 / 233	1133SO	
Mercury		11,5 x 3.5	1,35	387	SR936W	MR41	-	S78 / M12	V387	D387	214	-	387S	-	SP387	387/RW51	-	-	-	-	-	-	-	1151M	
Silver Oxide	High Drain	11.6 x 3.05	1,55	389	SR1130W	SR54	GS10	S09	V389 / V10GS	D389/390	626	280-15	389	SR1130W	SP389/WL-10	389/RW39	SR1130W	SB-BU	SR1130W	17	M	SR1130PW	20 / 220	1138SO	
Silver Oxide	Low Drain	11.6 x 3.05	1,55	390	SR1130SW	SR54	G10	S24	V390	D390/389	603	280-24	390	SR1130SW	SP390/WS-10	390/RW39	SR/TR1130SW	SB-AU / SB-DU	SR1130SW	11	-	SR1130SW	-	1159SO	

ENERGIZER GP PHILIPS MAXELL																								NewTEC(- W) Vinnic (- E)		
		DIM. MM	VOLT	CODE	IEC -SW	IEC – SR	JIS	AWI	VARTA	DURACELL	BULOVA	CITIZEN	RENATA	SANYO	PANASONIC	RAYOVAC	SEIKO	SEIKO	TOSHIBA	RENATA	TIMEX	UNIVER-CEL	ANSI/NEDA			
Silver Oxide	High Drain	11.6 x 2.05	1,55	391	SR1120W	SR55	GS8	S11	V391 / V8GS	D391/381	609	280-30	391	SR1120W	SP391/WL-5	391/RW40	SR/TR1120W	SB-B5 / SB-E5	SR1120W	22	L	SR1120PW	19 / 231	1160SO		
Silver Oxide	High Drain	7.9 x 3.6	1,55	392	SR736W	SR41	G3	S13	V392	D392/384	247-D / 247-B	280-13	392	SR41W	SP392/WL-1	392/RW47	SR/TR41W	SB-B1 / SB-E1	SR41W	2	K	SR736PW	15 / 227	1135SO		
Silver Oxide	High Drain	7,9 x 5.4	1,55	393	SR754SW	SR48	GS5	S15	V393	D393/309	255	-	393	SR754W	SP393/WL-6	393/RW48	SR48W	SB-B3	SR48W / SR754W	15	F	-	-	1137SO		
Silver Oxide	Low Drain	9.5 x 3.6	1,55	394	SR936SW	SR45	GS9	S26	V394	D394	625	280-17	394	SR936SW	SP394	394/RW33	SR936SW	SB-A4	SR936SW	27	-	SR936SW	25 / 237	1161SO		
Silver Oxide	Low Drain	9.5 x 2.73	1,55	395	SR927SW	SR57	GS7	S28	V395	D395/399	610	280-48	395	SR927SW	SP395	395/RW313	SR/TR927SW	SB-AP / SB-DP	SR927SW	25	LA	SR927SW	-	1162SO		
Silver Oxide	High Drain	7.9 x 3.6	1,55	396	SR726W	SR59	G2	S17	V396	D396/397	612/607	280-52	396	SR726W	SP396	396/RW411	SR/TR726SW	SB-BL	SR726W	29	V	SR726PW	14 / 226	1163SO		
Silver Oxide	Low Drain	7.9 x 2.6	1,55	397	SR726SW	SR59	GS2	S30	V397	D397/396	607	280-28	397	SR726SW	SP397	397/RW311	SR/TR726SW	SB-AL / SB-DL	SR726SW	26	N	SR726SW	-	1164SO		
Silver Oxide	High Drain	9.5 x 2.73	1,55	399	SR927W	SR57	GS7	S19	V399	D399/395	613	280-44	399	SR927W	SP399	399/RW413	SR/TR927W	SB-BP / SB-EP	SR927W	35	W	SR927PW	18 / 230	1165SO		

ELECTRONIC

		IEC		JIS	JIS	AWI	EVEREADY	VARTA	DURACELL	SONY	BULOVA	CITIZEN	ENERGIZER	MAXELL	PANASONIC	RAYOVAC	SEIKO	TOSHIBA	VINNIC	DIVERS	GP	UNIVERSAL		
Alkaline		7.9 x 2.1	1,50	162 **	LR58	LR721	LR58	-	-	-	-	-	-	-	-	-	-	-	L721	AG11	-	162 **		
Alkaline		6.8 x 2.1	1,50	164	LR60	LR621	LR60	-	-	-	-	-	-	-	-	-	-	-	L621	AG1	GP164	164		
Alkaline		9.5 x 2.1	1,50	171	LR69	LR921	LR69	-	-	-	-	-	-	-	-	-	-	-	L921	AG6	-	171		
Alkaline		11.6 x 5.4	1,50	A76	LR44	LR1154	LR44	A01	A76	V13GA	PX76A / LR44	A76	-	280-904	A76	LR44	LR44	RW82 / A76-1	LR44	LR44	L1154	AG13	GP76A / GPA76P	A76
Alkaline		6.8 x 2.6	1,50	177	LR66	LR626	LR66	-	-	-	-	-	-	-	-	-	-	-	L626	AG4	-	177		
Alkaline		5.8 x 2.15	1,50	179		LR521	-	-	-	-	-	-	-	-	-	-	-	-	-	LR521	-	179		
Alkaline		11.6 x 4.2	1,50	186	LR43	LR1142	LR43	A03	186	V12GA	D186 / LR43	186	-	-	186	LR43	LR43	RW84 / 186-1	LR43	LR43	L1142	AG12	GP86A / 615R / GP186	186
Alkaline		11.6 x 3.05	1,50	189	LR54	LR1130	LR54	A05	189	V10GA	D189 / LR54	189	-	-	189	LR1130	LR1130	RW89 / 189-1	LR1130	LR1130	L1131	AG10	GP89A / GP189	189
Alkaline		11.6 x 2.05	1,50	191	LR55	LR1120	LR55	A07	191	V8GA	D191 / LR55	191	-	-	191	LR1120	LR1120	-	LR1120	LR1120	L1121	AG8	GP91A / GP191	191
Alkaline		7.9 x 3.6	1,50	192	LR41	LR41	LR41	-	192	V36A	-	-	-	280-902	192	LR41	-	-	-	-	L736	AG3	GP92 / GP192	192
Alkaline		7.9 x 5.4	1,50	193	LR55	LR754	LR55	-	-	-	-	-	-	-	-	-	-	-	-	-	L754	AG5	-	193
Alkaline		9.5 x 3.6	1,50	194	LR45	LR936	LR45	-	-	-	-	-	-	-	-	-	-	-	-	-	L936	AG9	GP94A	194
Alkaline		9.5 x 2.7	1,50	195	LR57	LR927	LR58	-	-	-	-	-	-	-	-	-	-	-	-	-	L926	AG7	-	195
Alkaline		7.9 x 2.6	1,50	196	LR59	LR726	LR59	-	-	-	-	-	-	-	-	-	-	-	-	-	L726	AG2	-	196
Alkaline		16.0 x 6.2	1,50	PX625A	LR9	-	-	-	-	V625U	625U	-	-	-	-	-	-	-	-	-	-	-	GPX625A	PX625A

LANTERN BATTERIES

Voltage		Type	DURACELL	Eveready	Ray-O-Vac	Koehler-	Timex	Bulova	Seiko	Varta	Maxell	Sanyo	NEDA	Panasonic	NOTES AND REMARKS
Alkaline	PC915	6,0	Alk Screw Top	65x65x107	PC915					420 (zinc carbon)			915AC/915A		
Alkaline	MN1203	4,5	Alkaline	62x22x67	MN1203					4912					
Alkaline	MN908	6,0	Alk Spring Top	67x67x111	MN908	EN529/529	806	466B		430 (zinc carbon)			908AC/908A	4LR25X	
Alkaline	MN918	6,0	Alk Screw Top	132x69x127	MN918	521	918			435 (alk)			918AC/918A	4LR25-2	
Alkaline	MN926	12,0	Alk Screw Top	132x69x127	PC926								926AC/926A	8LR25	



LITHIUM – COIN

				BR / CR	IEC	IEC	JIS	JIS	AWI	EVEREADY	VARTA	DURACELL	SONY	BULOVA	CITIZEN	ENERGIZER	MAXELL	PANASONIC	SANYO	SEIKO	PHILIPS	TIMEX	UNIVER-CEL	ANSI/NEDA
Lithium		12.0 x 1.6	3,0	BR1216	-	-	-	-	-	EBR1216	-	-	-	-	-	EBR1216	BR1216	BR1216	BR1216	-	CR1216	-	-	-
Lithium		12.5 x 2.0	3,0	BR1220	-	-	-	-	-	-	-	-	-	-	-	-	BR1220	BR1220	BR1220	-	CR1220	-	-	-
Lithium		12.5 x 2.5	3,0	BR1225	BR1225	-	-	-	-	EBR1225	-	-	BR1225	-	-	EBR1225	BR1225	BR1225 (A)	BR1225	-	CR1225	-	-	5020LB
Lithium		16.0 x 1.6	3,0	BR1616	-	-	-	-	-	EBR1616	-	-	-	-	-	EBR1616	BR1616	BR1616	BR1616	-	CR1616	-	-	-
Lithium		16.0 x 3.2	3,0	BR1632	BR1632	-	-	-	-	-	-	-	-	-	-	-	BR1632	BR1632 (A)	-	-	-	-	-	-
Lithium		20.0 x 1.6	3,0	BR2016	BR2016	-	-	-	-	EBR2016	BR2016	-	BR2016	BR2016	280-202	EBR2016	BR2016	BR2016	BR2016	-	CR2016	-	-	5000LB
Lithium		20.0 x 2.0	3,0	BR2020	BR2020	-	-	-	L07	EBR2020	-	-	-	-	-	EBR2020	BR2020	BR2020	BR2020	-	-	-	-	-
Lithium		20.0 x 3.2	3,0	BR2032	BR2032	-	-	-	-	EBR2032	-	-	BR2032	-	-	EBR2032	BR2032	BR2032	BR2032	BR2032	-	CR2032	-	5004LB
Lithium		23.0 x 2.0	3,0	BR2320	BR2320	-	-	-	-	EBR2320	-	-	BR2320	BR2320	280-201	EBR2320	BR2320	BR2320	BR2320	-	CR2320	-	-	-
Lithium		23.0 x 2.5	3,0	BR2325	BR2325	-	-	-	L05	EBR2325	-	-	BR2325	-	-	EBR2325	BR2325	BR2325	BR2325	BR2325	SB-T12	CR2325	-	5002LB
Lithium		20.0 x 3.0	3,0	BR2030	-	-	-	-	-	-	-	-	-	-	-	-	-	BR2030A	-	-	-	-	-	-
Lithium		20.0 x 4.0	3,0	BR2040	-	-	-	-	-	-	-	-	-	-	-	-	BR2040	BR2040	-	-	-	-	-	-
Lithium		30.0 x 3.2	3,0	BR3032	-	-	-	-	-	-	-	-	-	-	-	-	BR3032	BR3032	-	-	-	-	-	-
Lithium		24.0 x 5.0	3,0	BR2450	-	-	-	-	-	-	-	-	-	-	-	-	BR2450	BR2450A	-	-	-	-	-	-
Lithium		24.0 x 7.7	3,0	BR2477	-	-	-	-	-	-	-	-	-	-	-	-	BR2477	BR2477A	-	-	-	-	-	-
Lithium		27.0 x 7.7	3,0	BR2777	-	-	-	-	-	-	-	-	-	-	-	-	-	BR2777A	-	-	-	-	-	-
Lithium		10.0 x 2.5	3,0	CR1025	CR1025	-	-	-	L44	ECR1025	-	-	CR1025	-	-	ECR1025	CR1025	CR1025	CR1025	-	CR1025	-	563	5033LC
Lithium		12.0 x 1.5	3,0	CR1215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithium		12.5 x 1.6	3,0	CR1216	CR1216	-	CR1216	-	L40	ECR1216	CR1216	DL1216	CR1216	-	-	ECR1216	CR1216	CR1216	CR1216	-	CR1216	-	564	5034LC
Lithium		12.5 x 2.0	3,0	CR1220	CR1220	CR1220	-	L04	ECR1220	CR1220	DL1220	CR1220	-	-	-	ECR1220	CR1220	CR1220	CR1220	SB-T13	CR1220	PA	565	5012LC
Lithium		12.0 x 2.25	3,0	CR1225	CR1225	-	-	-	L30	ECR1225	-	DL1225	CR1225	-	-	ECR1225	CR1225	CR1225	CR1225	-	CR1225	-	-	5020LC
Lithium		16.0 x 1.2	3,0	CR1612	CR1612	-	-	-	-	-	-	-	-	-	-	-	CR1612	CR1612	CR1612	-	-	-	-	-
Lithium		16.0 x 1.6	3,0	CR1616	CR1616	-	CR1616	-	L28	ECR1616	CR1616	DL1616	CR1616	-	280-209	ECR1616	CR1616	CR1616	CR1616	-	CR1616	YA	566	5021LC
Lithium		16.0 x 2.0	3,0	CR1620	CR1620	-	CR1620	-	L08	ECR1620	CR1620	DL1620	CR1620	-	280-208	ECR1620	CR1620	CR1620	CR1620	SB-T17	CR1620	EA	567	5009LC
Lithium		16.0 x 2.5	3,0	CR1625	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lithium		16.0 x 3.2	3,0	CR1632	CR1632	-	-	-	L50	ECR1632	-	-	CR1632	-	-	ECR1632	CR1632	CR1632	CR1632	-	CR1632	-	-	-
Lithium		20.0 x 1.23	3,0	CR2012	CR2012	-	CR2012	-	L42	ECR2012	CR2012	DL2012	CR2012	-	280-207	ECR2012	CR2012	CR2012	CR2012	CR2012	SB-T15	-	-	5000LC
Lithium		20.0 x 1.6	3,0	CR2016	CR2016	CR2016	-	-	L10	ECR2016	CR2016	DL2016	CR2016	CR2016	280-206	ECR2016	CR2016	CR2016	CR2016	CR2016 / LF1/4	SB-T11	CR2016	FA	560
Lithium		20.0 x 2.5	3,0	CR2025	CR2025	CR2025	-	-	L12	ECR2025	CR2025	DL2025	CR2025	CR2025	280-205	ECR2025	CR2025	CR2025	CR2025	CR2025	SB-T14	CR2025	NA	561
Lithium		20.0 x 3.2	3,0	CR2032	CR2032	CR2032	-	-	L14	ECR2032	CR2032	DL2032	CR2032	CR2032	-	ECR2032	CR2032	CR2032	CR2032	CR2032 / LF1/2	SB-T51	CR2032	-	562
Lithium		20.0 x 4.0	3,0	CR2040	CR2040	-	-	-	L24	-	CR2040	-	CR2040	-	-	-	CR2040	CR2040	CR2040	-	-	-	-	-
Lithium		23.0 x 2.0	3,0	CR2320	CR2320	-	CR2320	-	L26	ECR2320	CR2320	-	CR2320	-	-	ECR2320	CR2320	CR2320	CR2320	CR2320	-	CR2320	-	5020LC
Lithium		23.0 x 3.0	3,0	CR2330	CR2330	-	-	-	-	-	-	-	-	-	-	-	CR2330	CR2330	CR2330	-	-	-	-	-
Lithium		23.0 x 5.4	3,0	CR2354	CR2354	-	-	-	-	-	-	-	-	-	-	-	CR2354	CR2354	CR2354	-	-	-	-	-
Lithium		24.0 x 1.2	3,0	CR2412	CR2412	-	-	-	-	-	-	-	-	-	-	-	CR2412	CR2412	CR2412	-	-	-	-	-
Lithium		24.5 x 3.0	3,0	CR2430	CR2430	-	CR2430	-	L20	ECR2430	CR2430	DL2430	CR2430	-	-	ECR2430	CR2430	CR2430	CR2430	-	CR2430	-	568	5011LC
Lithium		24.5 x 5.0	3,0	CR2450	CR2450	-	CR2450	-	L52	ECR2450	CR2450	DL2450	CR2450	-	-	ECR2450	CR2450	CR2450	CR2450	CR2450	-	-	569	5029LC
Lithium		24.5 x 5.0	3,0	CR2450N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CR2450N	-	-	-
Lithium		24.0 x 7.7	3,0	CR2477	-	-	-	-	-	-	-	-	CR2477	-	-	-	CR2477	CR2477	CR2477	-	-	-	-	-
Lithium		24.0 x 7.7	3,0	CR2477N	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CR2477N	-	-	-
Lithium		30.0 x 3.2	3,0	CR3032	CR3032	-	-	-	-	-	-	-	-	-	-	-	CR3032	CR3032	-	-	-	-	-	-

HEARING – AID

Type		Voltage	DURACELL	Ray-O-Vac	Panasonic	Varta-ROV	NEDA	OTHERS
Zinc-Air	DA10	1,4	DA10	AC10	L10ZA/10A	PR10/PR536	V10AT	7005ZD
Zinc-Air	DA13	1,4	DA13	AC13	L13ZA/13A	PR13/PR48	V13AT	7000ZD
Zinc-Air	DA312	1,4	DA312	AC312	L312ZA/312A	PR312/PR41	V312AT	7002ZD
Zinc-Air	DA675	1,4	DA675	AC675	L675ZA/675A	PR675/PR44	V675AT	7003ZD

SPECIALTY

Voltage		Voltage	DURACELL	Varta	Eveready	Ray-O-Vac	Toshiba	Kodak	Koehler-	Panasonic	Maxell	Sanyo	NEDA	NOTES AND REMARKS	
Photo - Lithium	DL1/3N	3,0	3,0	DL1/3N	CR1/3N	2L76		K58L			4LR44	CR1/3N			
Photo - Alkaline	MN175	7,5	7,5	MN175									1501M		
Photo - Lithium	PX28L	6,0	6,0	PX28L	V28PXL	L544		K28L				2CR1/3N	1406LC		
Photo - Alkaline	PX625A	1,5	1,5	PX625A	V625PX	ERX625	RPX625	MR9	KX625	MO1	H-D		1124MP		
Photo - Silver Oxide	MS76	1,5	1,5	MS76	V76PX	EPX76	RS76	SR44	KS76	S15	G-13		11077SOP		
AAAA - Alkaline	MX2500	1,5	1,5	MX2500		E96									
Photo - Lithium	DLCRV3	3,0	3,0	DLCRV3		CRV3				CRV3					
Photo - Lithium	DLCR2	3,0	3,0	DLCR2	CR2	1CR2	RLCR2		KCR2	CR2		CR2	5046LC		
Photo - Lithium	DL123A	3,0	3,0	DL123A	CR123A	CR123A	RL123A		K123LA		CR123	CR123A	5018LC		
Photo - Lithium	DL223A	6,0	6,0	DL223A	CRP2	223	RL223A		K223LA	CR-P2	CRP2	CRP2	5024LC		
Photo - Lithium	DL245	6,0	6,0	DL245	2CR5	2CR5	RL2CR5		KL2CR5	2CR5M	2CR5	2CR5	5032LC		
Lithium	DL2032	3,0	3,0	DL2032	CR2032	CR2032	CR2032		KR2032	CR2032	CR2032	CR2032	5004LC		
Lithium	DL2430	3,0	3,0	DL2430	CR2430	CR2430	CR2430			CR2430		CR2430	5011LC		
Lithium	DL2450	3,0	3,0	DL2450	CR2450	CR2450						CR2450	5029LC		
Alkaline	PX28A	6,0	6,0	PX28A	V34PX	A544		4LR44	K28A		4LR44	4LR44P	1414A		
Alkaline	PX76/A675	1,5	1,5	PX76A675	V675PX	EPX675	RPX675	MR44	KX675	H-C & MR44			1128MP		
Alk - J size	7K67	6,0	6,0	7K67	4018	539	867		KJ	4LR-61			1412AP		
Alk - N size	MN9100	1,5	1,5	MN9100	4001	E90	810	CR1	KN	AM5			910A		
Keyless - Alk	MN21	12,0	12,0	MN21		A23			K23				1811A		
Keyless - Alk	MN27	12,0	12,0	MN27		A27									

All data is for information only and is subject to change without prior notice



VABO NV/SA
IND ZONE ZOLDER – LUMMEN 2109

BOTERBOSSTRAAT 20
B- 3550 HEUSDEN-ZOLDER

TEL +32 (0) 13 350 550
FAX +32 (0) 13 350 559

info@vabo.be

www.vabo.com