

# MAG-LITE FLASHLIGHTS

**MAG-LED® Technology**  
Intelligent Energy Source Management







  
**VABO**®  
[www.vabo.com](http://www.vabo.com)

VABO NV  
Ind. Zone Zolder-Lummen 2109  
Boterbosstraat 20  
B3550 Heusden-Zolder  
tel ++32(0)13-350.550  
fax ++32(0)13-350.559  
[info@vabo.be](mailto:info@vabo.be)

## ANSI/NEMA FL 1-2009

The Flashlight Basic Performance Standard – the “FL1 Standard” for short. The FL1 Standard defines four categories of flashlight performance, prescribes test equipment and procedures, and prescribes a set of logos for use in reporting the numbers on product packaging and elsewhere. The categories are as follows

Category	ANSI FL-1 Logo	Short Explanation
Beam Distance (Unit: Meters)		A measure of how far away the flashlight will usefully light up an object when its beam is optimally focused (sometimes called “Throw”)
Peak Beam Intensity (Unit: Candela)		Tells how intense the light is in the brightest part of the flashlight’s beam when optimally focused (sometimes called “Beam Candlepower”)
Run Time (Unit: Hours/Minutes)		A test of how long the flashlight will continuously operate before an “end point” (roughly 10% of initial light output) is reached
Light Output (Unit: Lumens)		Indicates how much total light (“luminous flux”) the lamp or LED generates, without regard to direction or the flashlight’s beam quality or configuration

## Solitaire Led

**Art 11832 Maglite Solitaire Led – Black - Blisterpack**

**Art 11833 Maglite Solitaire Led – Black - Giftbox**

"A Keychain-Size Flashlight with  
Big-Light Power"

That describes our all-new  
MAG-LITE® SOLITAIRE® LED Flashlight. It features the classic look of  
our original Solitaire® flashlight introduced in 1988. And it works in the  
same simple way – just twist the head to turn on, turn off and focus  
spot to flood.

But thanks to a new, state-of-the-art LED light engine, you get  
something you just wouldn't expect to see coming out of a flashlight  
so small: A blast of power that can light up an object at the far end  
of the parking lot

Specifications:

Length: 81 mm

Barrel Diameter: 12.70 mm

Head Diameter: 12.70 mm

Weight with batteries: 24 g

Batteries Required: 1 x AAA size alkaline (included)



**37  
Lumen**

## Super Mini Led ( Micromag Led )

**Art 11720 Maglite Super Mini Led – Black - Blisterpack**

**Art 11834 Maglite Super Mini Led – Black - Giftbox**

"Small, Simple, But Scorchingly bright"

Introducing the all-new MINI MAGLITE® AAA LED Flashlight.

The heir to the original Mini Maglite® 2AAA flashlight launched 25 years ago,  
this newest member of the family features the same classic look and size and  
the same simple operation – just twist the head to turn it on, turn it off and  
focus the beam.

But thanks to a latest-generation LED light engine, it produces a beam whose  
intensity is nothing short of amazing – from a pocket-clippable flashlight that's  
not much bigger than a penlight.

Specifications:

Length: 127 mm

Barrel Diameter: 12.70

Head Diameter: 19 mm

Weight with batteries: 49.04 g

Batteries Required: 2x AAA size alkaline (included)



**84  
Lumen**

# Minimag Led

FL 1 STANDARD	HIGH	LOW	1m	1h	4990cd
141m	77 LUMENS	10h 45m	✓	✓	✓
		31h 30m			

## Art 10379 Maglite Minimag Led – Black - Blister

- Easy to use
- Powerful Projecting LED Beam
- 4 Selectable Modes: High Power - Low Power (25%) - Blink Mode - Blinks approx. once a sec. - SOS
- "Spot-to-Flood" adjustable LED beam
- Anodized for corrosion resistance and durability
- Rugged, machined aluminum case
- Compact design
- Intelligent Energy Source Management - continuously monitors the balance between high brightness and efficient power usage allowing for prolonged battery life
- Powered by two (2) AA alkaline batteries

Specifications:

Length: 167.8 mm

Barrel Diameter: 18 mm

Head Diameter: 25.4 mm

Weight with batteries: 117.75 g



**77  
Lumen**



# Minimag Pro Led

FL 1 STANDARD	HIGH	LOW	1m	1h	4990cd
140m	226 LUMENS	2h30m	✓	✓	✓

## Art 11389 Maglite Minimag Pro Led – Black - Blisterpack

The iconic look of our original Mini Maglite® 2AA flashlight, introduced more than a quarter-century ago, is still seen in this newest member of the family. So is that same classic simplicity of function. But there's one big difference: A state of the art LED light engine for unprecedented performance.

- CLASSIC SIMPLICITY – Twist the head to turn on, turn off, and focus.
- MODERN POWER – Next-generation LED for a whole new level of brightness.

Specifications:

Length: 167.8 mm

Barrel Diameter: 18 mm

Head Diameter: 25.4 mm

Weight with batteries: 117.75 g



**226  
Lumen**

**NEW Ultra Bright**

# Minimag Pro+ Led

## Art 11389 Maglite Minimag Pro Led – Black – Blisterpack

The PRO+™ offers new, powerful electronics, LED light, an impressive lumen output at the "high" setting and lets the user choose between two output levels.

- CLASSIC SPOT-TO-FLOOD FOCUS – Just twist the head (same as always).
- PLUS TWO-LEVEL POWER – Unique switching system lets you select:
  - A. "High" for dazzling brightness.
  - B. "Low" to save batteries.

Specifications:

Length: 167.8 mm

Barrel Diameter: 18 mm

Head Diameter: 25.4 mm

Weight with batteries: 117.75 g

Batteries Required: 2x AA size alkaline (included)

FL 1 STANDARD	HIGH	LOW	1m	1h	5600cd
150m	245 LUMENS	2h15m	✓	✓	✓
		27h			

**245  
Lumen**



**NEW Ultra Bright**



# Maglite XL50 - Led

## Art 11184 Maglite XL50 Led – Black – Blister

Delivers user-friendly, performance oriented features in a sleek, tactical design and is driven by the next generation of MAG-LED® technology.

- Easy to use
- Powerful Projecting LED Beam
- Pushbutton tailcap switch
- Compact, Pocket Size Design

### Specifications:

Length 121.92 mm  
Barrel Diameter 25.4 mm  
Head Diameter 25.4 mm  
Weight with batteries 104 g



**139  
Lumen**



### Selectable Modes

- 1 High Power
- 2 25% Power
- 3 Strobe

# Maglite XL200 - Led

## Art 11286 Maglite XL200 Led – Black – Blister


THE NEWEST MEMBER of our XL™ SERIES of COMPACT FLASHLIGHTS offers FIVE BASIC, EASY-TO-USE FUNCTIONS plus Advanced Features and the STUNNING BRIGHTNESS of a Next-Generation LED. By the simple "QuickClick" method introduced with our popular Maglite® XL50™ flashlight, the XL200™ lets the user select the desired function. Motion-controlled variable power level and strobe rate.

- Easy to use
- Powerful Projecting LED Beam
- Pushbutton tailcap switch
- Compact, Pocket Size Design

**Push-button Tail Cap Switch with simple on-off Function and**

### Selectable Modes

- 1 High Power
- 2 Strobe Mode
- 3 Nite Lite Mode
- 4 Signal Mode
- 5 Sos Mode



**172  
Lumen**



## Tactical Holster

**Ref: 11285  
XL SERIES TACTICAL HOLSTER**

Click adjustable rotating belt clip, Ballistic Nylon



# Maglite Mag-Tac Led

**Art 11677 Maglite Mag Tac Led – Black 310lm – Blister**  
**Art 11676 Maglite Mag Tac Crowned – Black 320 Lm - Blister**

POWERED BY 2x "CR123" BATTERIES

3 Functions trough Quick Click

- Momentary
- Full
- Power-Power Save

In developing the MAG-TAC® LED flashlight, we aimed to produce an advanced lighting tool that, in appearance, build quality and performance, would rival tactical flashlights costing several times more. The result is the first Mag® flashlight to use extreme-performance lithium CR123 batteries – a rugged, fast-handling, “fist-grabbable” flashlight that achieves truly stunning performance for its size. Thanks to a tailcap switch, it turns on and off without changing the beam’s focal setting.

Designed with extensive input from police tactical users and yet suitable also for civilian use, this plain-bezel version of the MAG-TAC® LED flashlight comes with a detachable pocket clip and features three modes: Two power levels (Full Power for extreme brightness and Power Save for prolonged battery life) plus a Momentary mode (in which the light stays on only while the switch button is being pressed) – all selectable through Mag Instrument’s tailcap-switch-activated “Quick-Click™” mode selector.

Specifications:

Length	: 131.95 mm
Barrel Diameter	: 26.67 mm
Head Diameter	: 26.67 mm
Weight with batteries	: 136 g
Batteries Required	: 2x CR123 batteries (included)



**310  
Lumen**



11677  
MAGLITE MAG-TAC BLACK  
SG2LRE6U BLISTER -310LM 2xCR123



**320  
Lumen**



11676  
MAGLITE MAG-TAC (crowned) BLACK  
SG2LRA6 BLISTER -320LM 2xCR123

# Maglite Mag-Tac Led Rechargeable

**Art 11678 Maglite Mag Tac Rechargeable Led – Black 420lm**

Output: 450+ lumens high, 50+ lumens low  
 Run time: 1.5 hours high, 4.5 hours low  
 Battery type: Lithium Iron Phosphate (LiFePO4) rechargeable battery  
 Bezel type: Choose flat or crowned (scalloped) bezel  
 Usb charge possible

**420  
Lumen**



# Maglite Pro Led 2 D

## Art. New arrivals

- CLASSIC SIMPLICITY –Just push the button to switch the flashlight on and just turn the head to focus the beam.
- MODERN POWER – Next-generation LED for a whole new level of brightness:

### Specifications:

Length: 254 mm  
Barrel Diameter: 39.67 mm  
Head Diameter: 57 mm  
Weight with batteries: 674 g  
Batteries Required: 2x D size alkaline

### Accessories:



# Maglite Led 2 D

**Art 10377 Maglite 2D Cell Led 3Watt – Black – Blister**

**Art 10368 Maglite 3D Cell Led 3Watt – Black – Blister**

### Features:

- Great for Home, Auto, & Outdoor Use
- Powerful Projecting LED Beam
- "Spot-to-Flood" adjustable LED beam
- Anodized for corrosion resistance and durability
- Rugged, machined aluminum case
- Momentary On-Off
- Intelligent Energy Source Management - continuously monitors the balance between high brightness and efficient power usage allowing for prolonged battery life
- Powered by two (2) or (3) D-Cell alkaline batteries

### MAGLITE® LED 2-Cell D Flashlight Specifications:

Length: 254 mm  
Barrel Diameter:39.67 mm  
Head Diameter:57.00 mm  
Weight with batteries: 674 g

### MAGLITE® LED 3-Cell D Flashlight Specifications:

Length: 313 mm  
Barrel Diameter: 39.67 mm  
Head Diameter: 57.00 mm  
Weight with batteries: 856 g

### Accessories:




**134  
Lumen**




**131  
Lumen**

10377 2D Cell LED 3W – length 25cm



10368 3D Cell LED 3W – length 31cm





# Maglite ML100 2C - Led

# Maglite ML100 3C - Led

Art. 11283 Maglite ML100 - 2 C Led – Blister

Art. 11284 Maglite ML100 - 3 C Led – Blister

Designed for optimum light output, the new MAGLITE® ML100™ LED flashlights deliver performance oriented features in a sleeker compact design. Available in either 2 or 3 Cell C size, these advanced lighting instruments are driven by next-generation MAG-LED® Technology. Now with more features...amazingly bright and longer battery life than ever before.

### Intelligent Energy Source Management

Continuously monitors the balance between high brightness and efficient power usage.

### Balanced Optics

Advancing an engineering concept the ML100tm flashlight introduces a:

- Newly designed reflector
- Premium quality Led Module
- High output intensity for any chosen power setting

### Powerful projecting LED beam

- Beam focuses with a twist of the head


### Extended Battery Life

- The new multi-function electronic switch offers more options and versatility allowing prolonged batt

2-Cell



3-Cell



**137  
Lumen**

**137  
Lumen**

### MAGLITE ML100™ LED SPECIFICATIONS

- Rugged machined aluminium construction
- Anodized inside and out for improved corrosion resistance
- Sealed at both ends with high-grade rubber seals

	2C	3C
Length	232 mm	282 mm
Barrel Diameter	30,45 mm	30,45 mm
Head Diameter	50,22 mm	50,22 mm
Weight		
- without battery	294,84 gr	317,51 gr
- with battery	430,90 gr	521,63 gr
Batteries Required	2 x C size Alkaline	3 x C size Alkaline

**Persolalize for quick access to your preferred functions**

- \* **Full Power**
- \* **Power Save (25%)**
- \* **Strobe (12/sec)**
- \* **SOS (int'l Morse Code)**
- \* **Momentary On/Off**

Intelligent Switch	Function Set 1	Function Set 2	Function Set 3	Function Set 4
1 Click for:	Full Power	Full Power	Momentary	Momentary
2 Clicks for:	Power Save	Power Save	Full Power	Full Power
3 Clicks for:	Strobe	SOS Signal	Power Save	Strobe



# Maglite ML 125 - Led Rechargeable

**Art. 11282 Maglite ML125 - Led Rechargeable – Box**

Introducing the  
MAGLITE® ML125™ LED Rechargeable Flashlight System

Designed for optimum light output, the new MAGLITE® ML125™ LED flashlight delivers performance oriented features in a sleeker compact design. This advanced lighting instrument is driven by next-generation MAG-LED® Technology.

## Intelligent Energy Source Management

Continuously monitors the balance between high brightness and efficient power usage.

## Balanced Optics

Advancing an engineering concept the ML100tm flashlight introduces a:

- Newly designed reflector
- Premium quality Led Module
- High output intensity for any chosen power setting


## Powerful projecting LED beam

- Beam focuses with a twist of the head


## Extended Battery Life

- The new multi-function electronic switch offers more options and versatility allowing prolonged battery life.

Alkaline



Rechargeable



## MAGLITE ML125™ LED SPECIFICATIONS

- Rugged machined aluminium construction
- Anodized inside and out for improved corrosion resistance
- Sealed at both ends with high-grade rubber seals

Length	282,04 mm
Barrel Diameter	30,45 mm
Head Diameter	50,22 mm
Weight	
- without battery	317,51 gr
- with battery	521,63 gr

Batteries Required	3 x C size Alkaline or Nimh Rechargeable battery pack
--------------------	---

System includes: Maglite® ML125™ LED flashlight, NiMH Battery Pack, Portable Battery Charger, and AC Converter.



Uses either



Batteries



**Personalize for quick access to your preferred functions**

- \* Full Power
- \* Power Save (25%)
- \* Strobe (12/sec)
- \* SOS (int'l Morse Code)
- \* Momentary On/Off

Intelligent Switch	Function Set 1	Function Set 2	Function Set 3	Function Set 4
1 Click for:	Full Power	Full Power	Momentary	Momentary
2 Clicks for:	Power Save	Power Save	Full Power	Full Power
3 Clicks for:	Strobe	SOS Signal	Power Save	Strobe

# Magcharger Led Rechargeable

**Art. 11640 Maglite Magcharger Led – Box**

Maglite lineup has 680 lumens of output and an intense 43,667 candela spot beam. The MagCharger LED uses a D-sized NiMH battery pack and is a full-size flashlight with 4.5 hours of regulated runtime on high and 16 hours on low. Five modes, including full power, power save, strobe, SOS, and momentary are organized into user-programmable function sets.

## Key Specifications

Output	: 680 lumens high, 170 lumens low
Intensity	: 43,667 candela
Runtime	: 4h 30min high, 16h low
Battery	: NiMH Rechargeable Battery Pack
Length	: 12.6"
Diameter	: 2.3" bezel, 1.5" body
Weight with Batteries	: 28 oz.

## Modes

Five modes, which are arranged into four function sets, are available for the user to choose from.

Full Power	: Maximum output (100%).
Power Save	: Reduced output (25%).
Strobe	: The 12Hz strobe feature is designed for disorienting
SOS	: three short, three long and three short flashes.
Momentary	: If momentary is enabled, the light turns off when the switch is released, and it must be pressed twice in quick succession to activate constant-on.

For all modes except for momentary, a single click will turn the light off.

## Intelligent Energy Source Management

Continuously monitors the balance between high brightness and efficient power usage.

## Balanced Optics

Advancing an engineering concept the ML100tm flashlight introduces a:

- Newly designed reflector
- Premium quality Led Module
- High output intensity for any chosen power setting

## Powerful projecting LED beam

- Beam focuses with a twist of the head

## Extended Battery Life

- The new multi-function electronic switch offers more options and versatility allowing prolonged battery life.

Included in the box are: Maglite MagCharger LED, NiMH rechargeable battery, charging cradle, AC adapter (100-240V), DC car adapter, and user manual.



**680  
Lumen**

"Look for the Dual Band Mark."



Replacement Battery Chipboard Box



## Personalize for quick access to your preferred functions

- \* **Full Power**
- \* **Power Save (25%)**
- \* **Strobe (12/sec)**
- \* **SOS (int'l Morse Code)**
- \* **Momentary On/Off**

Intelligent Switch	Function Set 1	Function Set 2	Function Set 3	Function Set 4
1 Click for:	Full Power	Full Power	Momentary	Momentary
2 Clicks for:	Power Save	Power Save	Full Power	Full Power
3 Clicks for:	Strobe	SOS Signal	Power Save	Strobe

# Magcharger Rechargeable ( Halogen )

## Art. 31129 Maglite Magcharger – Box

The New MagCharger Flashlight combines long-famous reliability and beam-adjustability. With a Powerful New Halogen Lamp and New Electronic switch which includes an array of **user-configurable function sets**. Use the flashlight just as it comes out of the package or personalize it to suit your own habits of use by choosing one of the other function sets in the chart as shown below

Maglite Magcharger offers:

- High-tech Optical reflector
- Tempered glass lens
- O-ring sealed , water resistant
- Aluminium alloy case.
- Individually serial numbered for identification

### Features

- Easily replaced high-intensity halogen lamp.
- Spare lamp safely secured inside the tail cap.
- 1/4 turn, cam action focus, spot-to-flood.
- Solid-state electronics.
- Charger operates on A/C or D/C current.
- Highly polished, scientifically designed metallic reflector withstands extreme temperatures.
- High quality tempered glass lens.
- Durable extra hard anodized finish.
- Individually serial numbered.
- The pair of bands encircling the barrel of the Mag Charger® flashlight is a trademark of Mag Instrument.

### Specifications

Length : 319.79 mm  
Barrel Diameter : 39.67 mm  
Head Diameter : 58.72 mm  
Weight with batteries: 907.18 g



"Look for the Dual Band M

**240  
Lumen**

### New Mag Charger Flashlight

includes :  
Flashlight, Charging Cradle,  
Nimh Rechargeable batterypack,  
2 mounting brackets,  
220V converter,  
Mobile Power Adapter 12V  
a back-up Halogen lamp is stored in the tailcap.



Chipboard Box

### Personalize for quick access to your preferred functions

- \* **Full Power**
- \* **Power Save (25%)**
- \* **Strobe (12/sec)**
- \* **SOS (int'l Morse Code)**
- \* **Momentary On/Off**

Intelligent Switch	Function Set 1	Function Set 2	Function Set 3	Function Set 4
1 Click for:	Full Power	Full Power	Momentary	Momentary
2 Clicks for:	Power Save	Power Save	Full Power	Full Power
3 Clicks for:	Strobe	SOS Signal	Power Save	Strobe

## Accessories C, D, Magcharger



Ref: 31105  
MAGLITE BELT POCKET D LEATHER  
FOR D+MAGCHARGER



Ref: 31104  
MAGLITE CLIPS D-CELL 2 pcs  
FOR D+MAGCHARGER

Ref: 10427  
ACCU MAGCHARGER MAGLITE 6V NIMH



Ref: 31116  
MAGLITE TRAFFIC WAND RED  
FOR C+D+MAGCHARGER






# D-Cell Mag-lite Flashlight

- High-intensity adjustable light beam (Spot to Flood)
  - Recessed, pushbutton, self-cleaning, 3-position switch
  - Rugged, machined aluminum construction with knurled design
  - Anodized inside and out for improved corrosion resistance
  - Water and shock resistant
  - Spare lamp safely secured inside the tailcap
  - The distinctive shape, style and overall appearance of the Maglite® flashlight and the circumferential inscription are registered trademarks of Mag Instrument, Inc.
  - Available in BLACK anodized finish.
- Packaging ; blisterpack



**27>178  
Lumen**



31101 2-D Cell - 25cm



31102 3-D Cell - 31cm



31103 4-D Cell - 37cm



31136 5-D Cell - 43cm



31117 6-D Cell - 50cm

Productname	Whitestar Krypton lamp	Peak Beam Candle Power	Average Lumens	Battery Life Cont. On-time
2D-Cell	2D	Up to 16200	27	9-10 Hours
3D-Cell	3D	Up to 22000	60	9-10 Hours
4D-Cell	4D	Up to 28000	98	9-10 Hours
5D-Cell	5D	Up to 32200	151	9-10 Hours
6D-Cell	6D	Up to 39000	178	9-10 Hours

and battery life continuous time are approximate and may vary.

Ref: 31105  
MAGLITE BELT POCKET D LEATHER  
FOR D /D LED +MAGCHARGER



Ref: 31116  
MAGLITE TRAFFIC WAND RED  
FOR C+D / D LED +MAGCHARGER

# C-Cell Mag-lite Flashlight

- High-intensity adjustable light beam (Spot to Flood)
  - Recessed, pushbutton, self-cleaning, 3-position switch
  - Rugged, machined aluminum construction with knurled design
  - Anodized inside and out for improved corrosion resistance
  - Water and shock resistant
  - Spare lamp safely secured inside the tailcap
  - The distinctive shape, style and overall appearance of the Maglite® flashlight and the circumferential inscription are registered trademarks of Mag Instrument, Inc.
  - Available in BLACK anodized finish.
- Packaging : blisterpack



**31>105  
Lumen**



31137 2-C Cell - 22 cm



31138 3-C Cell - 27 cm



31127 4-C Cell - 27 cm

Productname	Whitestar Krypton lamp	Peak Beam Candle Power	Average Lumens	Battery Life Cont. On-time
2C-Cell	2C	Up to 14400	31	5 Hours
3C-Cell	3C	Up to 20000	60	5 Hours
4C-Cell	4C	Up to 24800	105	5 Hours



Ref: 31139  
MAGLITE BELT POCKET C  
LEATHER FOR C-MODELS

Ref: 31116  
MAGLITE TRAFFIC WAND RED  
FOR C+D+MAGCHARGER





# Minimag AA Flashlight - Xenon

High-intensity adjustable light beam (Spot to Flood)  
 Converts quickly to a freestanding candle mode  
 Rugged, machined aluminum construction with knurled design  
 Anodized inside and out for improved corrosion resistance  
 Water and shock resistant  
 Spare lamp safely secured inside the tailcap



Productname	Bi-pin Lamp	Peak Beam Candle Power	Average Lumens	Battery Life Cont. On-time
Minimaglite AA	LM2A 001	Up to 2952	15,2	Up to 5.5 Hours
Length	146 mm			



**15  
Lumen**



## BLISTER – HANG PACK

10629 Minimag Black

10630 Minimag Red

10632 Minimag Blue

10633 Minimag Green

10631 Minimag Gray

10634 Minimag Purple



## GIFTBOX

31113 Minimag Black

31174 Minimag Red

31157 Minimag Blue

31175 Minimag Green

Black, standard available – Colors on request based on minimum order quantity

## Accessories Minimag AA



Ref: 31146  
 MINI-MAGLITE LEATHER BELT POCKET  
 AM2A026 BLACK



Ref: 31147  
 MINI-MAGLITE NYLON BELT POCKET  
 AM2A056 BLACK

Ref: 31118  
 MINI-MAGLITE ACCESSORY  
 PACK FOR MINIMAG AA  
 includes  
 Pocket clip, Wrist Strap,  
 Lens Holder and colored lenses



Ref: 31179  
 MINI-MAGLITE COMBOPACK  
 Incl Minimag, 2 x AA batteries  
 Pocket clip, Wrist Strap,  
 Lens Holder and colored lenses



# Micro (Mini) Maglite AAA Flashlight

High-intensity adjustable light beam (Spot to Flood)  
Converts quickly to a freestanding candle mode  
Rugged, machined aluminum construction with knurled design  
Anodized inside and out for improved corrosion resistance  
Water and shock resistant  
Spare lamp safely secured inside the tailcap



Productname	Bi-pin Lamp	Peak Beam Candle Power	Average Lumens	Battery Life Cont. On-time
Micromag (Minimaglite AAA)	LM3A001	Up to 488	15,6	Up to 2 Hours
Length	127 mm			
Barrel	12.7 mm	Head	19 mm	

and battery life continuous time are approximate and may vary.



**15 Lumen**



BLISTER – HANG PACK

GIFTBOX

10618 Micromag Black



31107 Micromag Black

10619 Micromag Red



31133 Micromag Red

10626 Micromag Blue



31131 Micromag Blue

10627 Micromag Green



31132 Micromag Green

10625 Micromag Gray



10628 Micromag Purple



Black, standard available – Colors on request based on minimum order quantity

# Solitaire Flashlight

High-intensity adjustable light beam (Spot to Flood)  
Converts quickly to a freestanding candle mode  
Rugged, machined aluminum construction with knurled design  
Anodized inside and out for improved corrosion resistance  
Water and shock resistant  
Spare lamp safely secured inside the tailcap



Productname	Bi-pin Lamp	Peak Beam Candle Power	Average Lumens	Battery Life Cont. On-time
Solitaire	LK3A001	Up to 213	2,3	Up to 3.5 hours
Length	81 mm			
Barrel	12.7 mm	Head 12.7 mm		

and battery life continuous time are approximate and may vary.



**2 Lumen**



BLISTER – HANG PACK

GIFTBOX

10616 Solitaire Black



31109 Solitaire Black

10617 Solitaire Red



31111 Solitaire Red

Black, standard available – Colors on request based on minimum order quantity



31110 Solitaire Blue



31112 Solitaire Green

## Maglite® Replacement Bulbs and Accessories

Ask our catalogues or  
visit us at [www.vabo.com](http://www.vabo.com)



### SPARE LAMP SOLITAIRE MICROMAG MINIMAG

- Ref: 31119 MAGLITE 2\* SPARE LAMP SOLITAIRE LK3A001  
Ref: 31120 MAGLITE 2\* SPARE LAMP MICROMAG LM3A001  
Ref: 31123 MAGLITE 2\* SPARE LAMP MINIMAG LM2A001



### SPARE LAMP FOR C AND D MAGLITE – HIGH

Magnum bulbs for all C-cell and D-cell models have Xenon gas fill.

Battery times: 4-5 hours with C-cells, 10-11 hours with D-cells.

Substantially brighter, more efficient, longer life..

- Ref: 31153 MAGLITE 2 CELL MAGNUM LAMP LMSA201 1 SPARE LAMP  
Ref: 31149 MAGLITE 3 CELL MAGNUM LAMP LMSA301 1 SPARE LAMP  
Ref: 31150 MAGLITE 4 CELL MAGNUM LAMP LMSA401 1 SPARE LAMP  
Ref: 31151 MAGLITE 5 CELL MAGNUM LAMP LMSA501 1 SPARE LAMP  
Ref: 31154 MAGLITE 6 CELL MAGNUM LAMP LMSA601 1 SPARE LAMP



### SPARE LAMP FOR MAGCHARGER

- Ref: 31121 MAGLITE SPARE LAMPE MAGCHARGER LR00001



### SPARE NIMH RECHARGEABLE BATTERY FOR MAGCHARGER (LED)

- Ref: 10427 ACCU FOR MAGCHARGER MAGLITE – VABO NIMH 6V 3500MAH (5x1/2D)



Law enforcement officers around the world count on Streamlight®. From the ultra-bright, dependable Stingray® to the standard light for law enforcement - its one billion use rechargeable flashlight like the Stun, we give police officers the power, performance and the features they need to make their jobs a little easier and a lot safer.



VABO NV Boterbosstraat 20  
B-3550 Heusden-Zolder  
Tel ++32(0)13 350 550  
Fax ++32(0)13 350 559  
info@vabo.be

### EURO APPROVED ATEX series



VABO NV Boterbosstraat 20  
B-3550 Heusden-Zolder  
Tel ++32(0)13 350 550  
Fax ++32(0)13 350 559  
info@vabo.be



### HEAD LAMP HANDSFREE LIGHTING

Atex approval available



VABO NV Boterbosstraat 20  
B-3550 Heusden-Zolder  
Tel ++32(0)13 350 550  
Fax ++32(0)13 350 559  
info@vabo.be

All information, brandnames & trademarks are properties of their respective owners and is subject to change without prior notice. For all other parts and Accessories, please visit our website : [www.vabo.com](http://www.vabo.com)



### Vabo nv

Industr. Zone Zolder-Lummen 2109  
Boterbosstraat 20  
B-3550 Heusden-Zolder  
Belgium

tel 0032 (0)13 350 550  
fax 0032 (0)13 350 559  
email [info@vabo.be](mailto:info@vabo.be)  
[www.vabo.com](http://www.vabo.com)

Ask our catalogues or  
visit us at [www.vabo.com](http://www.vabo.com)



Law enforcement officers around the world count on Streamlight®. From the ultra-bright, dependable Stinger® II, the standard light for law enforcement, to our lithium ion rechargeable flashlight like the Stinger, we give police officers the power, performance and the features they need to make their jobs a little easier and a lot safer.



VABO NV Boterbosstraat 20  
B-3550 Heusden-Zolder  
Tel ++32(0)13 350 550  
Fax ++32(0)13 350 559  
info@vabo.be

### EURO APPROVED ATEX series



VABO NV Boterbosstraat 20  
B-3550 Heusden-Zolder  
Tel ++32(0)13 350 550  
Fax ++32(0)13 350 559  
info@vabo.be



### HEADLAMP HANDSFREE LIGHTING

Atex approval available



VABO NV  
Ind. Zone Zolder-Lummen 2109  
Boterbosstraat 20  
B-3550 Heusden-Zolder  
Tel ++32(0)13 350 550  
Fax ++32(0)13 350 559  
info@vabo.be

All information, brandnames & trademarks are properties of their respective owners and is subject to change without prior notice. For all other parts and Accessories, please visit our website : [www.vabo.com](http://www.vabo.com)



**Vabo nv**  
Indust. Zone Zolder-Lummen 2109  
Boterbosstraat 20  
B-3550 Heusden-Zolder  
Belgium  
tel 0032 (0)13 350 550  
fax 0032 (0)13 350 559  
email [info@vabo.be](mailto:info@vabo.be)  
[www.vabo.com](http://www.vabo.com)