

# HEADLAMP HANDSFREE LIGHTING

### Atex approval available





VABO NV
Ind. Zone Zolder-Lummen 2109
Boterbosstraat 20
B3550 Heusden-Zolder
tel +32(0)13-350.550
fax +32(0)13-350.559
info@vabo.be



The CLASSIC, ACTIVE and PERFORMANCE lines respond to uses from the most basic to the most intensive. Each of these lines corresponds to a use and a need related to light output. The SPECIALIZED line contains headlamps dedicated to specific uses.

CLASSIC HEADLAMPS - E+LITE - TIKKINA - TIKKA - ZIPKA	50 150 200 200	With Retractable Cord  With Retractable Cord
ACTIVE HEADLAMPS  - ACTIK  - MYO  - CORE RECH BATTERY	300 370	
PERFORMANCE  - REACTIK  - REACTIK +  - NAO+	220 300 750	Rechargeable Rechargeable Rechargeable
SPECIALIZED  - TACKTIKKA  - TACKTIKKA + RGB  - ULTRA RUSH /BELT  - ULTRA VARIO  - DUO LED 5 /14	200 250 760 520 40/67	Rechargeable Rechargeable
ATEX - PIXA 1 - PIXA 2 - PIXA 3 - PIXA 3R	60 80 100 90	Rechargeable



VABO NV
Ind. Zone Zolder-Lummen 2109
Boterbosstraat 20
B3550 Heusden-Zolder
tel +32(0)13-350.550
fax +32(0)13-350.559
info@vabo.be



### **CLASSIC SERIES**

E+LITE E02		O00 LUMENS	FL1 STANDARD	(iv	1 TON	Î	FL1 STANDARD	FL1 STANDARD
Vabo Ref 11588	Standard Lighting White Strobe Red Strobe	15 lm 50 lm 15 lm Red 2 lm 2 lm	6 m 10 m 100m 100m 100 m	12 h 9 h 95 h 15 h 70 h	26 g	2 x CR2032	IPX7	-1 m for 30 minutes
Ultra-compact emergency hea	ndlamp 50 lumens	Ultra-compact a Always ready to White lighting al For emergency s distance Locking on/off s Withstands extra Waterproof to -	use, can be llows you to situations, t witch desig eme temper	e stored with move aroughe powerfult ned to preveratures: -30	n batteries ( nd easily in red LED all ent accident °C to +60°	lithium CR 2 the dark ows you to al operation	2032) for be seen f	10 years

TIKKINA E91		FLI STANDARD	FL1 STANDARD	(i)	O 1 TON	Î	FL1 STANDARD	FL1 STANDARD  00m
Vabo Ref 11963	Standard Lighting White Led	5 lm 100 lm 150 lm	10 m 40 m 55 m	220 h 60 h 60 h	85 g	3 AAA	IPX 4	
Simple, compact headlamp for proximity lighting 150 lumens  Hybrid CONCEPT	De Control	Compact and lig Long burn time Simple to use, the lighting more Tire lighting more Tire lighting mandle lighting mandle lighting mandle lighting mandle lighting mandle lighting mandle lighting	nanks to its le nodes: proxi BRID headl with the CC vide .R03 batteri	single butto imity, mover lamp: it com DRE recharg ies (included rgeable Ni-I	ment and dia nes with thre eable batter d) or CORE I	stance visic ee standarc Y	on I batteries	, and is



### **CLASSIC SERIES**

TIKKA E93		FLY STANDARD  1000  LUMENS	FL1 STANDARD	(iv	1 TON	Ô	FL1 STANDARD	FL1 STANDARD 00m
Vabo Ref 11964	Standard Lighting White Led Red Led Red Strobe	5 lm 100 lm 200 lm 2 lm	10 m 40 m 60 m 5 m 700 m	240 h 60 h 60 h 60 h 400 h	85 g	3 AAA	IPX 4	
Compact headlamp for proximi and some movement 200 lume		Description  Compact and lig Long burn time Simple to use, t button with whi easily select the Three lighting movement and Red lighting pre and stealth, and a group from bil Phosphorescent locating the lam TIKKA is a HYBF comes with three and is also comprechargeable barries.	hanks to its ch to quickly lighting modes: proxidistance vis serves night prevents minding each reflector is p in the dark ID headlance standard patible with	single y and ode imity, ion t vision nembers of other useful for k np: it batteries,	Specification Light output Weight: 86 Beam patter Energy: The (included) of (available at Battery cor Certification Watertightr	gern: wide ree AAA/LR or CORE reas accessory npatibility: n(s): CE	03 batter chargeabl () rechargea	e battery ible Ni-MH

ZIPKA E93Z		14 STANDARD	FL1 STANDARD	(i)	1 TON	Î	FL1 STANDARD	R 1 STANDARD
Vabo Ref 11965	Standard Lighting White Led Red Led Red Strobe	100 lm 200 lm 2 lm	200 lm 60 m 60 h 2 lm 5 m 100 h 700 m 400 h				IPX 4	
Fimple and ultra-compact hand some movement 200 lu	eadlamp for proximity lighting umens	Ultra-compact for and wear: - self-adjusting is can be worn or attached to a post Long burn time Simple to use, it button with white easily select the Three lighting immovement and is Red lighting preand stealth, and a group from bliphosphorescent locating the lam ZIPKA is a HYBF comes with three and is also comprechargeable barrows is selected.	netractable on the head, tent pole, ananks to its ch to quickle lighting modes: proxidistance vis serves nigh prevents nuding each reflector is p in the dark anatible with	cord the wrist a seat single y and ode imity, ion t vision nembers of other useful for rk np: it batteries,	Specification Light output Weight: 66 Beam patte Energy: The (included) of (available at Battery continued) of Certification Watertights	gern: wide ree AAA/LR or CORE res accessory npatibility: n(s): CE	:03 batter chargeabl /) rechargea	le battery able Ni-MH



### **ACTIVE SERIES**

ACTIK E99 AAA		SLI STANDARD  1000  LUMENS	FL1 STANDARD	(iv	1 TON	Î	FL1 STANDARD	FL1 STANDARD
Vabo Ref 12247	Constant Lighting White and Red Led Strobe	White 5 lm 100 lm 300lm Red 2 lm	White 10 m 45 m 90 m Red 5 m 700 m	Upto 260 h 60 h 400 h	92 g	3 AAA Or Core recharg. Battery Art 12250	IPX 4	
Compact multi-beam headlamp outdoor activities. 300 lumens  +lybrid CONCEPT	with red lighting, designed for	Powerful (300 Ir Two beam patter and several light need for high-peroutdoor activities distance vision at Long burn time: Red lighting preand keeps from members of the Reflective heads seen when a light is equipped with whistle for rescu ACTIK is a HYBF comes with threand is also comprechargeable based seen when a light is equipped with whistle for rescu ACTIK is a HYBF comes with threand is also comprechargeable based several light in the lin	erns (wide o ting modes erformance es: proximity and rapid m serves night blinding oth group band helps y ht is shone a an emerge ue situations RID headlan be standard patible with	r mixed) meet the lighting in r or ovement t vision ner rou to be on it, and ency s np: it batteries,	(available a	ut: 300 lume g ern: wide or ree AAA/LR or CORE ree as accessory npatibility: i	mixed 103 batteri chargeabl () rechargea	e battery ble Ni-MH

MYO E87		FL1 STANDARD	FL1 STANDARD	(i)	1 TON		FL1 STANDARD	FL1 STANDARD
Vabo Ref 11981	Constant Lighting	White 60 110 280 370 Programmable 20 Im to 170 Im Reserve mode 3 Im for 50 hrs	White 50 65 105	13 5 10 sec	168 g	3 AA	IPX 4	

Powerful multi-beam headlamp intended for endurance-oriented outdoor activities.

370 lumens maximum



Powerful, high performance lighting (370 lumens in Boost mode and 280 lumens in Maximum mode).

Multi-beam lighting: wide-angle flip lens that shifts instantly from a wide beam (proximity lighting) to a focused beam (long-range vision)

CONSTANT LIGHTING technology for Economic and Optimum modes:

- brightness does not decrease gradually as the batteries drain
- automatically switches to reserve mode when batteries are nearly spent STANDARD LIGHTING technology in Maximum mode.

Several programmable lighting modes to adapt light intensity and burn time to the activity

Reliable and rugged: - battery charge indicator light: warns when the batteries are approximately 70 % then 90 % discharged - switches are protected from accidental operation when light body is in upright position - water and weather resistant for all-weather use (IP X4)

Comfortable & stable in action: incl. top strap provides add. stability when needed Perfect for endurance activities: - long burn time - lightweight: 168 g - balanced on the head for comfort



### **ACTIVE SERIES**

CORE RECH BATTERY		FL1 STANDARD	2000E		O 1 TON	Û	FL1 STANDARD	FL1 STANDARD
Vabo Ref 12250				3 h	23 g			
Rechargeable battery compatibile	e with Petzl HYBRID headlamps	Description  Simple universal port Charging indicat = charging; green performs well at Economical and as main power subattery Compatible with ZIPKA, ACTIK, ATACTIKKA, TACTIKKA, TACTIKKA + RGIProduct comes were supported by the compatible with the compatible with the compatible with zipka, action and the compatible with zipka, action and zipka.	tor on the ben = batter low tempe sustainable supply or ba all TIKKINA ACTIK CORE TIKKA + an B headlamp	attery (red y charged) ratures s solution ack-up A, TIKKA, E, d	Specification Weight: 23 Certification Type: batte 1250 mAh Recharge t	g n(s): CE erie recharg	eable Lith	ium-Ion



### **PERFORMANCE SERIES**

REACTIK E92 HNE		FLI STANDARD	FL1 STANDARD	(i)	1 TON	Ů	FL1 STANDARD
Vabo Ref 12168	Reactive Lighting  Constant lighting	White 70 lm 130 lm 220 lm 40 lm 80 lm 140 lm Red 2 lm	White 40 m 55 m 65 m 30 m 40 m 50 m Red 8 m	12 h 6 h 3h30 12 h 6 h 3h30 Red 30 h	115 g	1800 mAh Lithium-Ion rechargeable battery (included)	IPX 4
	Strobe  Reserve mode	15 lm	Visible 1 km	60 h 2 h			

Compact, rechargeable and intelligent headlamp with REACTIVE LIGHTING technology that automatically adjusts brightness to the needs of the user. 220 lumens



Longer burn time, visual comfort and minimal handling thanks to REACTIVE LIGHTING technology:

- the light sensor automatically adjusts brightness and optimizes burn time
- depending on the chosen burn time (3h30, 6 h, 12 h), brightness automatically self-regulates in three modes: MAX POWER, STANDARD and MAX AUTONOMY Lamp can be used with CONSTANT LIGHTING technology, which ensures constant lighting over time

Mixed beam with focused component, for both close-range and distance vision Red lighting mode preserves night vision

LOCK function to avoid accidentally turning it on during transit or storage Rechargeable 1800 mAh Lithium-Ion battery:

- universal charging with micro USB port
- battery charge indicator
- can be replaced with standard battery pack (not included) for use in remote areas

Petzl's patented washable and adjustable headband has two-part construction for optimal positioning during dynamic activities:

- remains positioned on the head
- absorbs perspiration Weather resistant

Weight: 115 g

Technology: REACTIVE LIGHTING or CONSTANT LIGHTING Beam pattern: wide beam with focused component

Energy: 1800 mAh Lithium-Ion rechargeable battery (included)

Recharge time: 4,5 h

Battery compatibility: alkaline, lithium and Ni-MH, with the standard battery

pack (not included)

Watertightness: IP X4 (water resistant)

Certification(s): CE



### **PERFORMANCE SERIES**

# REACTIK + E95 HNE
















LJJIIIIL	SMART						
Vabo Ref 12169	Reactive Lighting  Constant Lighting	white 80 lm 170 lm 300 lm 30 lm 100 lm 200 lm	70 m 90 m 110 m 35 m 70 m 90 m	10 h 5 h 2h30 15 h 6 h 2 h	115 g	1800 mAh Lithium-Ion rechargeable battery (included)	IPX 4
	Reserve mode	red 2 lm strobe	8 m visible 1 km	30 h 60 h 2 h			

Multi-beam, rechargeable headlamp that is programmable, thanks to the MyPetzl Light mobile app. Features REACTIVE LIGHTING technology that automatically adapts light intensity to user needs. 300 lumens



- access remaining burn time any time
- adjust brightness and burn time
- activate and create lighting profiles to suit the activity
- headlamp comes with multi-activity lighting profile
- 4 additional profiles available with the MyPetzl Light app: trail running, mountaineering, trekking, backpacking
- headlamp connects through Bluetooth® Smart (can be deactivated)
- the lamp can still be used without the app

Longer burn time, visual comfort and minimal handling thanks to its REACTIVE LIGHTING technology:

- the light sensor automatically adjusts brightness and beam pattern, optimizing battery use
- depending on the chosen burn time (2h30, 5 h, 10 h), brightness automatically self-regulates in one of three modes: MAX POWER, STANDARD or MAX AUTONOMY

Lamp can be used with CONSTANT LIGHTING technology, which ensures constant lighting over time

Multi-beam lighting: combines a wide beam for proximity lighting with a focused beam for long-range vision

Red lighting mode preserves night vision

LOCK function to avoid accidentally turning it on during transit or storage Rechargeable 1800 mAh Lithium-Ion battery:

- universal charging with micro USB port
- charge indicator and blue signal for Bluetooth® Smart activation
- can be replaced with standard battery pack (not included) for use in remote areas

Petzl's patented washable and adjustable headband has two-part construction for optimal positioning during dynamic activities:

- remains positioned on the head
- absorbs perspiration
- Weather resistant





### **PERFORMANCE SERIES**

NAO +		FL1 STANDARD	FL1 STANDARD	(i)	1 TON	Ô	FL1 STANDARD
Vabo Ref 12249	Reactive Lighting  Constant Lighting	White 320 lm 750 lm 120 lm 530 lm	White 85 m 140 m 65 m 135 m Visible	15 h 6h30 8 h 1h30	185 g	2600 mAh Lithium-Ion rechargeable battery (included)	IPX 4
	Red Led Reserve mode	15 lm	for 1km	2 h			

Ultra-powerful, multi-beam, rechargeable headlamp that is programmable, thanks to the MyPetzl Light app. Features REACTIVE LIGHTING technology that automatically adapts light intensity to user needs. 750 lumens



Customized beam pattern, burn time and brightness, thanks to the MyPetzl Light for smart phone and tablet (free download at App Store and Google Play):

- access remaining burn time any time
- adjust brightness and burn time
- activate and create lighting profiles to suit the activity
- headlamp comes with multi-activity lighting profile
- four additional profiles available with the MyPetzl Light app: trail running, mountaineering, trekking, backpacking
- headlamp connects through Bluetooth® Smart (can be deactivated)
- the lamp can still be used without the app

Longer burn time, visual comfort and minimal handling thanks to its REACTIVE LIGHTING technology:

- the light sensor automatically adjusts brightness and beam pattern, optimizing battery use
- depending on the chosen burn time (6.5 h or 15 h), brightness automatically self-regulates in one of two modes: MAX POWER or MAX AUTONOMY Lamp can be used with CONSTANT LIGHTING technology, which ensures constant lighting over time

Multi-beam lighting: combines a wide beam for proximity lighting with a focused beam for long-range vision

Ergonomic button, even with gloves

Red indicator light on the battery, in the rear, to signal location

LOCK function to avoid accidentally turning it on during transit or storage Rechargeable 2600 mAh Lithium-Ion battery:

- universal charging with micro USB port
- charge indicator and blue signal for Bluetooth® Smart activation Headlamp is very stable on the head:
- adjustable headband is very comfortable (Petzl patent)
- additional top strap for technical activities

Belt kit accessory for NAO + allows the rechargeable battery to be moved to the belt to reduce the weight worn on the head, or to keep it warm in winter!

Technology: REACTIVE LIGHTING or CONSTANT LIGHTING

Beam pattern: wide, mixed or focused

Recharge time: 6 h

Compatible with the MyPetzl Light app; requires iOS 7.1 or Android 4.3 or later

Bluetooth® Smart: very low battery consumption



TACKTIKKA E93		FLI STANDARID	FL1 STANDARD	(iv	1 TON		FL1 STANDARD	FL1 STANDARD
Vabo Ref 12246	Constant Lighting	White 5 lm	White 10 m	240 h	86 g	3 AAA	IPX 4	
	White and Red Led	100 lm 200 lm Red 2 lm Red Strobe	40 m 60 m Red 5 m 700 m	60 h 60 h 100 h 400 h				

Compact headlamp, ideal for hunting and fishing, with white or red lighting to preserve night vision and ensure stealth. 200 lumens



Red lighting preserves night vision and stealth

Long burn time

Three lighting modes: proximity, movement and distance vision

Simple to use, thanks to its single button with which to quickly and easily select

the lighting mode

TACTIKKA is a HYBRID headlamp: it comes with three standard batteries, and is also compatible with the CORE rechargeable battery

Available in two colors, depending on use

Light output: 200 lumens

Weight: 86 a Beam pattern: wide

Energy: Three AAA/LR03 batteries (included) or CORE rechargeable battery

(available as accessory)

Battery compatibility: rechargeable Ni-MH

Certification(s): CE

Watertightness: IP X4 (weather resistant)

TACTIKKA	+ RG	В
E89		
·		















E89		LUMENS	doom	/: N	1 TON	Ш	11/1/11	00m
Vabo Ref 11294	Constant Lighting  White Led and Red, Green Blue Led	White 5 lm 100 lm 250 lm Red/green/ blue 2 lm Red Strobe	White 10 m 45 m 70 m Red/ green/bl 5 m 700 m	260 h 50 h 50 h 60 h 400 h	85 g	3 AAA	IPX 4	

Compact and powerful headlamp ideal for hunting and fishing. White or red/green/blue lighting to preserve night vision and ensure stealth. 250 lumens



Red/green/blue lighting preserves night vision and stealth Very powerful lighting with a maximum of 250 lumens

Long burn time

Three lighting modes: proximity, movement and distance vision

Simple to use, thanks to its single button with which to quickly and easily select the lighting mode

TACTIKKA +RGB is a HYBRID headlamp: it comes with three standard batteries, and is also compatible with the CORE rechargeable battery

Available in three colors, depending on use

Light output: 250 lumens Weight: 85 g

Beam pattern: mixed

Energy: Three AAA/LR03 batteries (included) or CORE rechargeable battery

(available as accessory)

Battery compatibility: rechargeable Ni-MH

Certification(s): CE

Watertightness: IP X4 (weather resistant)



### Rechargeable

		IXCCITO	ii gcc				
ULTRA RUSH E52 H		11 STANDARD	FL1 STANDARD	(iv	1 TON	Î	FL1 STANDARD
Vabo Ref 11632	Constant lighting White led Reserve mode	65 lm 300 lm 420 lm 760 lm	45 m 100 m 115 m 170 m	38 h 7 h 5 h 2 h 2h/45lm	370 g	ACCU 2 ULTRA 2600 mAh Lithium-Ion rechargeable battery (incl.)	IP67
Ultra-powerful headlamp v ACCU 2 rechargeable batto	with CONSTANT LIGHTING technology ery. 760 lumens	switches to reserved. Mixed beam with time according to	am up to 170 guarantees by mode whe four lighting need	neters orightness that on the battery levels allows	t doesn't dimi is almost drai the user to ch	inish for the entire burnined) noose between power a	and burn



ACCU 2 ULTRA Lithium-Ion high-performance rechargeable battery (2600 mAh):

- offers the perfect balance between capacity and compactness, making it comfortable on the head
- Lithium-Ion technology for excellent performance at low temperatures
- energy gauge on the battery
- quick 100/240V charger (charged in 3h) with interchangeable EUR/US plug incl. Easy to use:
- rotating selector knob is easy to use, even with gloves, allowing rapid access to different modes
- quick connection system allows quick and easy removal of battery

- quick connection system allows quick and easy removal of battery

- front and back comfort plates with adjustable elastic headband for an excellent fit

- waterproof to -1 m for 30 minutes (no maintenance required after immersion)

- light flashes to signal transition to reserve mode

- excellent resistance to falls, impacts and crushing Weight: lamp 222 g + ACCU 4 ULTRA 288 g

- light flashes to signal transition to reserve mode
- front and back comfort plates with adjustable elastic headband for an excellent fit on the

#### Rugged:

- waterproof to -1 meter for 30 minutes

ULTRA RUSH BELT E52 B		FLI STANDARD	FL1 STANDARD	(iv	1 TON		FL1 STANDARD
Vabo Ref 11592	Constant Lighting White Led Reserve mode	65 lm 300 lm 420 lm 760 lm	45 m 100 m 115 m 170 m	73 h 14 h 10 h 4 h 2h/45lm	Head 222 g Belt/Batt 288 g Total 510 g	ACCU 4 ULTRA 5200 mAh Lithium-Ion rechargeable battery (included)	IP67
	with CONSTANT LIGHTING technology rgeable battery. 760 lumens	switches to reserve Mixed beam with time according to High-capacity ACC - offers maximum - Lithium-Ion tech - battery may be - energy gauge or - quick 100/240V Easy to use:	am up to 170 guarantees be the mode whee four lighting need CU 4 ULTRA I burn time we the mode of the battery the charger incl.	meters orightness that the battery levels allows withium-Ion retailed reducing excellent perform clothing/in a allows the use (charged in the control of the	t doesn't diminis almost drain the user to chemote recharge weight on the rmance at low backpack—op ser to be aware 5h) with interc	oose between power a eable battery (5200 m. head	and burn  Ah)  d condition  ne



### Rechargeable

ULTRA VARIO E54		FLI STANDARD	FL1 STANDARD	(i	1 TON	Î	FL1 STANDARD
Vabo Ref 11533	Constant Lighting White Led Reserve mode	200 lm	40 m 10 h 65 m 2h30 210 m 4 h	ACCU 2 ULTRA 2600 mAh Lithium-Ion rechargeable battery (incl.)	IP67		
Ultra-powerful multi-beam headl technology and ACCU 2 recharge	amp with CONSTANT LIGHTING eable battery. 520 lumens	time (lamp switch Four lighting mo - ambient mode: blinding people - proximity mode: - movement mode: distance vision ACCU 2 ULTRA L - offers the perfet the head - Lithium-Ion tector - quick 100/240 Easy to use: - rotating selected different modes - quick connection - light flashes to - front and back fit on the head Rugged:	stance bear g guarantee ches to rese des allow the wide, less e: flood bear de: mixed the mode: high ithium-Ion ect balance chnology for on the batte or knob is e on system a signal tran comfort pla  1 m for 30	m to 210 mt is brightness erve mode whe user to compowerful be am for proximate and process of the composition of the co	that doesn'then the batthoose the tye am optimized mity vision at the finding and beam allows mance recharged and compact to be the with interest of the compact of the com	It diminish for the ertery is almost draine upe of lighting requires burn time and avoid and illuminating large maximum distance argeable battery (260 compactness, comfor at low temperatures aware of remaining rchangeable EUR/US oves, allowing rapid moval of battery stic headband for an over the required after imited to the required to	d) ed: oids areas vision 00 mAh): table on g burn time plug incl. access to excellent





### Halogen/Led combination

DUO	LED	5
F69 F		















Vabo Ref 96541

Constant Lighting

Halogen Led 40 lm 100 m 28 m

4 h 65 h 300 g

**4 AA** 

IPX 8

-1 m

Hybrid waterproof headlamp: halogen/5 LEDs. 40 lumens



All-terrain headlamp:

- rugged construction
- waterproof to -1 meter

Two light sources to choose from, depending on the activity:

- halogen light for long-range, focused lighting with adjustable zoom
- five LEDs for flood beam lighting with a long burn time

Comfortable and easy to use:

- adjustable and comfortable elastic headband
- on/off switch can be locked to prevent accidental operation
- light body can be tilted

Space for spare halogen bulb in the light body of the headlamp

Beam pattern: wide or focused Maximum light quantity: 40 lumens Max. lighting distance: 100 m Max. battery life: 65 h

Battery type (included): 4x AA/LR6

Watertightness: IP X8 (waterproof to -1 meter)

Lamp comes with spare halogen bulb

Works with optional ACCU DUO rechargeable battery

Certification(s): CE

### **DUO LED 14** E72 P















Vabo Ref 10269

Constant Lighting

Wide or focused beam type

Halogen

Led 67 lm

100 m

34 m

26 m

15 m

4 h 3h30 10 h 63 h

300 q

4 AA IPX 8



-1 m

Hybrid waterproof headlamp: halogen/14 LEDs with 3 constant lighting modes. 67 lumens max



All-terrain headlamp:

- rugged construction
- waterproof to -1 meter

Two powerful light sources to choose from, depending on the activity:

- halogen light for long-range, focused lighting with adjustable zoom
- 14 LEDs for flood beam proximity lighting, with 3 lighting modes (maximum, optimum, economic)

Proximity lighting with constant brightness and a long burn time:

- 14 LEDs give constant brightness until the batteries are nearly spent
- automatically switches to reserve mode when batteries are nearly spent Comfortable and easy to use:
- adjustable and comfortable elastic headband
- on/off switch can be locked to prevent accidental operation
- light body can be tilted

Space for spare halogen bulb in the light body of the headlamp

Works with optional ACCU DUO rechargeable battery

Beam pattern: wide or focused Maximum light quantity: 67 lumens Max. lighting distance: 100 m Max. battery life: 183 h Constant brightness: yes



PETZL		ATE	K SE	ERI	ES				
PIXA 1 / E78 AHI	FLI STANDARD	FL1 STANDARD	(iv	O 1 TON	ĵ	FL1 STANDARD	FL1 STANDARD		
Vabo Ref 11896	Constant Lighting White Led Atex Zone 2 / 22	20 lm 10 m 16 h 160 g 2 AA IP67 To for mir							
	proximity lighting. 60 lumens	Headlamp keep - worn on the h - attached to th - placed on the CONSTANT LIG decrease as the Lighting for pro - two lighting n - proximity light - automatically (signaled by bli - rotating knob - storage position turning it on - may be used - excellent resis - comfortable a - resistant to ch ATEX Zone 2/2 Battery compate	nead with the helmet winground of the helmet winground of the helmet wingressionals the helmes witches to nking light) that is ergo on helps profin explosive stance to fall and washable hemicals of the helmes with the helmes washable hemicals of the helmes washable of the he	e headband ith a mount inclogy ensurins nat is reliable and high) wide, comforeserve monomic, ever otect the heads (2 m), implies elastic headlamp	ng plate (industries brightnesse, practical and with glovessed lamp lenssed band conditions).	ess that doe and durable for close ra teries are a and preven rushing (80	: ange work Imost dra ts inadvel	K Nined	
PIXA 2 / E78 BHI		FLI STANDARD	FL1 STANDARD	(iv	1 TON	ĵ	FL1 STANDARD	FL1 STANDARD	
Vabo Ref 11899	Constant Lighting White Led	20 lm 80 lm	25 m 55 m	26 h 3h30	160 g	2 AA	IP67	To -1 m for 30 minutes	

L/O DIID-Z				., .			
Vabo Ref 11899	Constant Lighting White Led Atex Zone 2 / 22	20 lm 80 lm	25 m 55 m	26 h 3h30	160 g	2 AA	To -1 m for 30 minutes

Headlamp suitable for proximity lighting and movement. 80 lumens

Headlamp keeps hands free for work and can be:

- worn on the head with the headband
- attached to the helmet with a mounting plate (included)
- placed on the ground

CONSTANT LIGHTING technology ensures brightness that does not gradually decrease as the battery drains

Several lighting modes adapt to each situation:

- low-intensity mode adapted to close-range work: mixed beam with a wide, uniform flood
- high-intensity mode adapted to movement: mixed beam with focused component allows user to move around comfortably

Lighting for professionals that is reliable, practical and durable:

- automatically switches to reserve mode when batteries are almost drained (signaled by blinking light)
- rotating knob that is ergonomic, even with gloves
- storage position helps protect the headlamp lens and prevents inadvertently turning it on
- may be used in explosive environments
- excellent resistance to falls (2 m), impacts, and crushing (80 kg)
- comfortable and washable elastic headband
- resistant to chemicals

ATEX Zone 2/22 certified headlamp

Battery compatibility: rechargeable Ni-MH and lithium



### **ATEX SERIES**

PIXA 3 ATEX E78 CHB-2		FLI STANDARD	FL1 STANDARD	(iv	1 TON	Î	FL1 STANDARD	FL1 STANDARD
Vabo Ref 11897	Constant Lighting White Led Atex Zone 2 / 22	20 lm 60 lm 100 lm Reserve 10 lm	15 m 45 m 90 m	26 h 6h30 3h30 13 h	160 g	2 AA	IP67	To -1 meter for 30 minutes
Headlamp for proximity lighting, movement and long-range vision. 100 lumens		Headlamp keeps - worn on the h - attached to the - placed on the	ead with the e helmet wi ground	e headband th a mounti	ng plate (inc		os not gra	dually



CONSTANT LIGHTING technology ensures brightness that does not gradually decrease as the battery drains

Several lighting modes adapt to each situation:

- a mode adapted for close range work: wide, uniform beam
- a mode adapted for movement: mixed beam with focused component allows user to move around comfortably
- a mode adapted for long-range vision: focused beam

Lighting for professionals that is reliable, practical and durable:

- automatically switches to reserve mode when batteries are almost drained (signaled by blinking light and red indicator)
- rotating knob that is ergonomic, even with gloves
- storage position helps protect the headlamp lens and prevents inadvertently turning it on
- may be used in explosive environments
- excellent resistance to falls (2 m), impacts, and crushing (80 kg)
- comfortable and washable elastic headband
- resistant to chemicals

ATEX Zone 2/22 certified headlamp

Battery compatibility: rechargeable Ni-MH and lithium

# PIXA 3R ATEX E78 CHR-2 Recharg.















	11001101191							
Vabo Ref 11858	Constant Lighting White Led Rechargeable Atex Zone 2 / 22 certified headlamp	Dimmabl e 20 lm 55 lm 90 lm 20 lm	Wide/Mix/Foc us 15/ – / – – / 45 / 90 25 / 55 / 90 15 / 30 / 50	11 h 30 5h/3h30 3/3h30 11h30	145 g	recharge able Lithium- Ion Polymer battery, 930 mAh	IP67	To -1 m for 30 minutes

Rechargeable headlamp for frequent use, suitable for proximity lighting, movement and long-range vision. 90 lumens



Headlamp keeps hands free for work and can be:

- worn on the head with the headband
- attached to the helmet with a mounting plate (included)
- placed on the ground

For frequent use, with integrated rechargeable Lithium-Ion polymer battery and quick charging dock (3 hours) /CONSTANT LIGHTING technology ensures brightness that does not gradually decrease as the battery drains/Several lighting modes adapt to each situation:

for close range work(wide, uniform beam), movement(mixed beam with focused component), long-range vision (focused beam)

Burn time parameters may be used to adapt lighting performance to need (by rapidly turning the knob): - STANDARD: balance between power and burn time - MAX AUTONOMY: burn time prioritized - MAX POWER: brightness prioritized Lighting for professionals that is reliable, practical and durable

### **CONSULT OUR CATALOGS**

MAG-LITE FLASHLIGHTS

MAG-LED Technology

Intelligent Energy Source Management



## STREAMLIGHT FLASHLIGHTS

**And Atex Series** 



### PELI Lights

Atex series , zone 1 & zone 0 Personal lights Arealighting



#### **ACCULUX**

**Industrial Flashlights** 





Boterbosstraat 20
B-3550 Heusden-Zolder Belgium
Tel 0032 (0)13 350 550
Fax 0032 (0)13 350 559
Email info@vabo.be

www.vabo.com