

Duracell

Batteries
Chargers
LED-Flashlights
Rechargeables



www.vabo.com

VABO NV
IZ ZOLDER-LUMMEN 2109
Boterbosstraat 20
B-3550 HEUSDEN-ZOLDER

Tel ++32 (0) 13 350 550
Fax ++32 (0)13 350 559
info@vabo.be

DURACELL CONSUMER

SIMPLY



PRODUCT/ART	11051	11048
	MN2400-AAA	MN1500-AA
colorcode	SIMPLY	SIMPLY
Diameter	10,5	14,5
Height	44,5	50,5
IEC	LR03	LR6
VOLT	1,5	1,5
CHEM.SYSTEM	Alkaline	Alkaline
Batt./Blister	4	4
Blister/Carton	10	20
Batt./Carton	40	80

PLUSPOWER

DURALOCK



PRODUCT/ART	10606	10601	10602	10603	10604	10605
	MN2400-AAA	MN1500-AA	MN1400-C	MN1300-D	MN1604-9V	MN1203-4.5V
colorcode	PLUS POWER	PLUS POWER	PLUS POWER	PLUS POWER	PLUS POWER	PLUS POWER
Diameter	10,5	14,5	26,2	34,2	17.5 x 26.5	61.4 x 21.5
Height	44,5	50,5	50	61,5	48,5	64,5
IEC	LR03	LR6	LR14	LR20	6LR61	3LR12
VOLT	1,5	1,5	1,5	1,5	9,0	4,5
CHEM.SYSTEM	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Batt./Blister	4	4	2	2	1	1
Blister/Carton	10	20	10	10	10	10
Batt./Carton	40	80	20	20	10	10

ULTRA POWER

DURALOCK



PRODUCT/ART	11097	11096	11098	11099	11100	62551
	MX2400-AAA	MX1500-AA	MX1400-C	MX1300-D	MX1604-9V	MN2500-AAAA
colorcode	ULTRA-POWER	ULTRA-POWER	ULTRA-POWER	ULTRA-POWER	ULTRA-POWER	ULTRA
Diameter	10,5	14,5	26,2	34,2	17.5 x 26.5	8,3
Height	44,5	50,5	50	61,5	48,5	42
IEC	LR03	LR6	LR14	LR20	6LR61	LR61
VOLT	1,5	1,5	1,5	1,5	9,0	1,5
CHEM.SYSTEM	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
Batt./Blister	4	4	2	2	1	2
Blister/Carton	10	20	10	10	10	10
Batt./Carton	40	80	20	20	10	20

ULTRA POWER

Duralock

Duracell longest lasting 9V

Ideal for SMOKE ALARMS



All data is subject to change.

Visit us at www.vabo.com for more information



DURACELL SPECIALTY



ELECTRONICS

Vabo art.	TYPE	Diameter	Height	Volt	Chem.System	Code	Packaging
10152	LR 43	11,6	4,2	1,5	Alkaline	186	2/20/200
10153	LR 44	11,6	5,4	1,5	Alkaline	157	2/20/200
10154	LR 54	11,6	3,0	1,5	Alkaline	189	2/20/200



HEARING AID

Vabo art.	TYPE / COLOR	Diameter	Height	Volt	Chem.System	Expiry Date	Packaging
14565	DA10	5,8	3,6	1,4	Zinc Air	4 years	6/60
10165	DA312	7,9	3,6	1,4	Zinc Air	4 years	6/60
10178	DA13	7,9	5,4	1,4	Zinc Air	4 years	6/60
10179	DA675	11,6	5,4	1,4	Zinc Air	4 years	6/60

SECURITY



Vabo art.	TYPE	Diameter	Height	Volt	Chem.System	IEC	Packaging
33018	MN11	10,2	16,5	6	Alkaline		1/10/100
10607	MN21	10,3	28,5	12	Alkaline	3LR50	2/20/200
10183	MN27	7,7	28,2	12	Alkaline		1/10/100
10613	MN9100 – N	12	30,2	1,5	Alkaline	LR01 – N	2/20/200
62551	MN2500 – AAAA	8,3	42	1,5	Alkaline	LR61	2/20/200
10176	7K67 – J	48,3x9,2	35,6	6,0	Alkaline	4LR61	1/10/100
10102	625A	15,6	5,9	1,5	Alkaline	LR9	1/10/100

WATCH



Vabo art.	TYPE	Diameter	Height	Volt	Chem.System	IEC	Packaging
10100	D357/303	11,6	5,4	1,5	Silver Oxyde	SR44	2/20/200
10134	D364	6,8	2,1	1,5	Silver Oxyde	SR60	1/10/100
10135	D371/370	9,5	2,1	1,5	Silver Oxyde	SR69	1/10/100
10137	D386/301	11,6	4,2	1,5	Silver Oxyde	SR43	1/10/100
10138	D389/390	11,6	4,2	1,5	Silver Oxyde	SR54	1/10/100
10140	D392/384	7,6	3,6	1,5	Silver Oxyde	SR41	1/10/100
33261	D394	9,5	3,6	1,5	Silver Oxyde	SR54	1/10/100
10143	D399/395	9,5	2,7	1,5	Silver Oxyde	SR57	1/10/100

All data is subject to change. Performance information is typical.
All other models available on request.

DURACELL SPECIALTY

LITHIUM



Vabo art.	TYPE	Diameter	Height	Volt	Chem.System	Expiry Date	Packaging
63255	DL1220	12,5	2,0	3,0	Lithium	10 years	1/10/100
20123	DL1616	16,0	1,6	3,0	Lithium	10 years	1/10/100
10146	DL1620	16,0	2,0	3,0	Lithium	10 years	1/10/100
10147	DL2016	20,0	1,6	3,0	Lithium	10 years	1/10/100
10148	DL2025	20,0	2,5	3,0	Lithium	10 years	1/10/100
10149	DL2032	20,0	3,2	3,0	Lithium	10 years	1/10/100
10151	DL2430	24,0	3,0	3,0	Lithium	10 years	1/10/100
36594	DL2450	24,0	5,0	3,0	Lithium	10 years	1/10/100



MULTIPACK

Vabo art.	TYPE	Diameter	Height	Volt	Chem.System	Expiry Date	Packaging
12343	DL2016 BL2	20,0	1,6	3,0	Lithium	10 years	20/200
12344	DL2025 BL2	20,0	2,5	3,0	Lithium	10 years	20/200
12345	DL2032 BL2	20,0	3,2	3,0	Lithium	10 years	20/200

PHOTO



Vabo art.	TYPE	Diameter	Height	Volt	Chem.System	Expiry Date	Packaging
10581	DL123 BL1	16,6	34,5	3,0	Lithium	10 years	1/10/100
10582	DL223	35 X 19,6	36,0	3,0	Lithium	10 years	1/10/100
10583	DL245	34 X 17	45,0	3,0	Lithium	10 years	1/10/100
10182	CR2 BL1	15,6	26,7	3,0	Lithium	10 years	1/10/100
10108	DL 1/3N	11,6	10,0	3,0	Lithium	10 years	1/10/100
10101	PX28L	13,0	25,2	6,0	Lithium	10 years	1/10/100



MULTIPACK

Vabo art.	TYPE	Diameter	Height	Volt	Chem.System	Expiry Date	Packaging
10034	DL123 BL2	16,6	34,5	3,0	Lithium	10 years	2/20/200
10033	CR2 BL2	15,6	26,7	3,0	Lithium	10 years	2/20/200

All data is subject to change. Performance information is typical.
All other models available on request.

DURACELL LED FLASHLIGHTS

Duracell® Counter-Display
KEY-3-D20 20x KEY-3-Z
VABO ART 12128



1 AAA



Duracell® Counter-Display
CMP-9-D16 16x CMP-9-Z
VABO ART 12129



3 AAA
70
Lumen



VOYAGER™ CL-10
CLASSIC-SERIES 2xD
VABO ART 11500



2 D

RUBBER
BODY

VOYAGER™ CL-1
CLASSIC-SERIES
VABO ART 11499



2 AA

RUBBER
BODY

VOYAGER™ OPTI-1
OPTI-SERIES
VABO ART 12125



2 AA

RUBBER
BODY

TOUGH™ CMP-5
COMPACT-SERIES
VABO ART 11507



3 AAA
60
Lumen

TOUGH™ CMP-8C
PERSONAL-SERIE
VABO ART 12124



3 AAA
300
Lumen

STROBE
DIMMABLE

TOUGH™ CMP-10C
COMPACT-SERIES
VABO ART 12126



3 AAA
185
Lumen

5 WATT
LED

TOUGH™ FCS-1
FOCUS-SERIES – TACTICAL
VABO ART 11503



2AA
127
Lumen

FOCUS

TOUGH™ FCS-100
FOCUS-SERIES – TACTICAL
VABO ART 11504



2 D
160
Lumen

FOCUS

TOUGH™ PEN-1
PERSONAL-SERIES
VABO ART 11509



2AAA

EXPLORER™ WKL-1
WORKLAMP-
MAGNET
VABO ART 12127



3AA
235
Lumen

8 LED
+ 1 LED
FRONTAL
MAGNET

Holsters



Boterbosstraat 20
B-3550 Heusden-Zolder - Belgium
tel 0032 (0)13 350 550
fax 0032 (0)13 350 559
email info@vabo.be * www.vabo.com



Art 11265
Holster D



Art 11339
Holster 2AA



Art 11266
Holster 3AAA

All brandnames, information and trademarks are the property of their respective owners and is subject to change without prior notice

DURACELL CHARGERS



12032

Hi Speed Value




11452

Speedy



11450

Hi-speed



10734

Hi-Speed Multi

Vabo art.	TYPE	Packaging
12032	DURACELL CEF14 HI-SPEED VALUE CHARGER 45MIN - INCL 2 AA / 2 AAA	6BL/box
11452	DURACELL CEF27 SPEEDYCHARGER 15MIN INCL 2AA 1300 + 2AAA 750	3BL/box
11450	DURACELL CEF15 - 15MIN CHARGER INCL 4AA 1300MAH	3BL/box
10734	DURACELL CEF22 HI-SPEED MULTICHARGER (4 AA/AAA/C/D + 9V)	4BL/box

All data is subject to change. Performance information is typical.
All other models available on request.

DURACELL RECHARGEABLE



PRECHARGED

DURALOCK

Recharge Ultra is a pre-charged rechargeable batterie, low self-discharge and already charged

PRODUCT/ART	10669	10668	11453	10671	10670	11454
Type/Colorcode	DX1500-AA HR6 BL/2	DX1500-AA HR6 BL/4	HR06-AA BL/4	DX2400-AAA BL/2	DX2400-AAA BL/4	HR03- AAA BL/4
Diameter	14,5	14,5	14,5	10,0	10,0	10,0
Height	50,5	50,5	50,5	40,0	40,0	40,0
IEC	AA	AA	AA	AAA	AAA	AAA
VOLT	1,2	1,2	1,2	1,2	1,2	1,2
CAPACITY	2500	2500	1300	850	850	750
CHEM.SYSTEM	Nimh	Nimh	Nimh	Nimh	Nimh	Nimh
Batt./Blister	2	4	4	2	4	4
Blister/Carton	10	10	20	10	10	10
Batt./Carton	20	40	80	20	40	40



STANDARD CHARGE

Standard rechargeable batteries

PRODUCT/ART	32657	32659	32660
TYPE/colorcode	HR14-C BL/2	HR20-D BL/2	HR9V BL/1
Diameter	25,0	33,0	10,0
Height	50,0	60,0	40,0
IEC	C	D	9V
VOLT	1,2	1,2	8,4
CAPACITY	3000	3000	170
CHEM.SYSTEM	Nimh	Nimh	Nimh
Batt./Blister	2	2	1
Blister/Carton	10	10	10
Batt./Carton	20	20	10

All data is subject to change. Performance information is typical.
All other models available on request.

DURACELL INDUSTRIAL



DURACELL INDUSTRIAL

Vabo art.	11735	11734	11736	11737	11738	11739
TYPE/colorcode	ID2400-AAA	ID1500-AA	ID1400-C	ID1300-D	ID1604-9V	ID1203-4.5V
Diameter	10,5	14,5	26,2	34,2	17.5 x 26.5	61.4 x 21.5
Height	44,5	50,5	50	61,5	48,5	64,5
IEC	LR03	LR6	LR14	LR20	6LR61	3LR12
VOLT	1,5	1,5	1,5	1,5	9,0	4,5
CHEM.SYSTEM	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline	Alkaline
EXPIRY DATE	7 years	7 years	7 years	7 years	5 years	5 years

PACKAGING

Innerpack						
Batt./Innerpack (IP)	10	10	10	10	10	10
Carton						
Batt./Carton	100 (10 IP)	100 (10 IP)	50 (5 IP)	50 (5 IP)	50 (5 IP)	50 (5 IP)

PRISMATIC

Vabo art.	10485	10483
TYPE	MN 908	MN918
TERMINATION	COIL SPRING	SCREWS
Dimensions L x W	67.7 x 67.7	136.3 X 72.8
Height	110,49	125,4
IEC	4LR25	4LR25-2
VOLT	6,0	6,0
CHEM.SYSTEM	Alkaline	Alkaline

PACKAGING

Carton		
Batt./Carton	6	6



www.vabo.com

All data is subject to change. Performance information is typical.
All other models available on request.

VABO NV

IZ ZOLDER-LUMMEN 2109
Boterbosstraat 20
B-3550 HEUSDEN-ZOLDER

Tel ++32 (0) 13 350 550
Fax ++32 (0)13 350 559
info@vabo.be